




# **Cost Accounting (2)**

# **Collections**

**Dr/ Salwa Nasr**Faculty of Commerce
South Valley University

# Contents

CH (1) Job Order Costing	
CH (2) Process Costing	
<b>CH (3) Multiple Products Costing</b>	



A job order cost system is the most suitable where the products manufactured differ in materials and conversion requirements, each product is made according to a customer's specifications and the price quoted is closely tied to estimated cost. The cost incurred in manufacturing a particular job must therefore be matched to the goods produced. Examples of types of companies which might use job order costing are printing, shipbuilding, aircraft, construction, and engineering firms.

Under a job order cost system, the three basic elements of cost-direct materials, direct labor, and factory overhead- are accumulated according to assigned job numbers. The unit cost for each job is obtained by dividing the total units for the job into the job's total cost. A cost sheet is used to summarize the applicable job costs. Selling and administrative expenses,

which are based on a percentage of manufacturing cost, are listed on the cost sheet to arrive at total cost.

In order for a job order cost system to function properly, it must be possible to identify each job physically and segregate its related costs. Direct material requisitions and direct labor costs carry the particular job number; factory overhead is usually applied to individual jobs based on a predetermined factory overhead application rate. The profit or loss can be determined for each job and the unit cost computed for purposes of inventory costing. Schedules are prepared to accumulate the information for the required journal entries.

Following is an illustration of the flow of costs through a job order cost system together with the required journal entries and necessary source documents. Fork company is a small furniture manufacturing company specializing in custom made office furniture. All orders are made to specifications indicated by customers, and costs are accumulated according to jobs. On june 2020 maple company placed order with fork company for a large custom-made conference table with matching wood chairs and wall units at a total price of 12000. Maple company wants shipment on or before July 10,2020.

The maple company order, designated job 85, will be followed through the manufacturing process and the accumulation of production costs. The following information relates to job 85:

1-purchase of materials. On july3, 2020, the purchasing department received \$11000 of materials, as indicated below. Material purchases are on account and payment is made at a later date. (Not all the materials will be used for job85)

20 sheets mahogany wood(at \$ 500 a sheet)	\$10000
100gallons stain (at \$ 5 /gallon)	500
10 cases of glue(at \$ 20 /case)	300
5cases of nails(at \$ 40 /case)	200
total	\$11000

2-issuance of materials. On july3, 2020, the production department requisitioned the following materials and began work on job 85:

Direct material for job 85:

(5 sheet at \$ 500 each)		2500
Indirect materials for job 85:		
Stain(10gallons at \$ 5)	50	
Glue (1 case at \$ 20)	20	
Nails (1 case at \$ 40)	<u>40</u>	110
Total materials cost		\$ 2610

<u>3-labor cost</u> the production department incurred the following payroll costs for the week ended july7, 2020:

Direct labor for job 73	300
Direct labor for job 85	300
Indirect labor	<u>1000</u>
Total labor cost	\$ 4800

4-actual factory overhead. The production department incurred other factory overhead costs (in addition to indirect materials and indirect labor) amounting to \$ 2000 for the week ended july7, 2020. Actual factory overhead is not charged directly to jobs; instead a predetermined factory overhead application rate is used.

<u>5-applied factory overhead.</u> Factory overhead was applied at a rate of 75% of direct labor cost for job 85.

<u>6-completion of job.</u> Job 85 was completed on July 7, 2020, and transferred to the finished goods storeroom.

<u>7-sale of job.</u> Job 85 was picked up by Maple Company on July 10, 2020, payment is to be made in 20 days.

The following journal entries and reports are for the week ended july7, 2020, when production of job 85 was started and completed.

#### Purchase of materials

Raw materials and supplies used in production are ordered by the purchasing department. These materials are kept in a materials storeroom under the control of a clerk and are issued only when a properly approved requisition is presented.

Entry 1 records the purchase of materials (assuming a perpetual inventory system is used):

Materials inventory	11000
Accounts payable	11000

### **Issuance of materials**

The next step in the manufacturing process is to obtain the needed raw materials from the materials storeroom. There is one source document for the issuance of materials in a job order cost system- a materials requisition.

Any issuance of materials by the materials clerk must substantiated by a materials requisition approved by the production manager or the department supervisor. Each requisition from shows the job order number, the department number, and the quantities and description of materials requested the materials clerk enters the unit cost and total cost on the requisition from.

On a regular basis, perhaps weekly, materials requisitions are sorted by job number and the totals recorded on a cost summary sheet. When direct materials are put into production, a journal entry is made to record the addition of materials to work in process inventory. When indirect materials are requisitioned, they are generally charged to a departmental factory overhead control account. Indirect materials costs are included in the factory overhead application rate, as it is often impractical to trace these materials to each job. Entry 2 records the requisition of direct and indirect materials for job 85:

Work in process inventory-job 85	2500	
Factory overhead control-production department	110	
Materials inventory		2610

Each work in process inventory account is supported by a subsidiary ledger.

## Labor cost

There are two source documents for labor in a job order cost system- a time card and a labor job ticket. Time (or clock) cards are inserted in a time clock by employees each day when they arrive, go to and return from lunch, take breaks, and leave work for the day. This procedure mechanically shows a record of total hours worked each day by each employee and thus provides a reliable source for the computation and recording of payroll. Labor job tickets are prepared daily by each employee indicating the job worked on and the number of hours worked. the wage rate of the employee is inserted by payroll department. The sum of labor cost and hours incurred on various jobs (labor tickets) should be equal to the total labor cost and total labor hours for the period(time cards).

The following information is available concerning job 85 for the week ended July 7, 2020:

- 1- Ten employees worked 40 hours each entirely on job 85.

  Their pay rate was \$ 8 per hour (10x40 hours x 8 per hour=\$3200 of direct labor for job 85).
- 2- Two employees (x and y) worked 40hours each; 20hours each on job85 and 20 hours each on job73. Their pay rate is \$ 7.50 per hour (2 x 20x 7.5= \$ 300 of direct labor for job 85 and \$ 300 of direct labor for job73).
- 3- The salaries for supervisors and maintenance personnel in the production department amounted to \$ 1000.

Time accumulated for employees working directly on production (direct labor) is charged to each job. Time accumulated for workers who cannot be identified directly with a particular job is indirect labor and is charged to factory overhead control.

At periodic intervals, time cards are summarized to record the payroll, and labor job tickets are summarized to be charged to work in process inventory or factory overhead control. Time card and job ticket hours should be reconciled. The total payroll is computed from the time cards as follows:

10 employees(400 hours x \$ 8)	3200
2 employees(80 hours x \$ 7.5)	600
Supervisors and maintenance	<u>1000</u>
Total payroll	\$ 4800

Entry 3 records the labor cost (based on labor job tickets) as follows:

Work in process inventory- job 73	300	
Work in process inventory-job85	3500	
Factory overhead control- production department	1000	
Payroll payable		4800

# **Factory overhead**

The third element to be included in determining the total cost in a job order cost system is factory overhead. There is one source document for the computation of factory overhead costs in a job order cost system- a departmental factory overhead cost sheet, which each department maintains. This is a subsidiary ledger of the factory overhead control account. Reconciliation of the control and subsidiary ledgers should be performed at regular intervals.

Entry 4 records the factory overhead costs (except indirect materials, which recorded in Entry 2, and indirect labor, which was recorded in Entry 3)

Factory overhead control-production department	2000
Accumulated depreciation- machinery	220
Accumulated depreciation- factory	290
Utilities payable	490
Miscellaneous payables	1000

Entry 4 records the balance of the expenses incurred by the production department. In this example, factory overhead costs are accumulated by production departments. It should be noted, however, that factory overhead costs may be recorded for the factory in total and then distributed to production departments for ultimate distribution to jobs.

The distribution of factory overhead to jobs is based on a predetermined factory overhead application rate. Factory overhead application rates are expressed in terms of direct labor hours, direct labor dollars, direct materials dollars, machine hours, or some other reasonable basis. When factory overhead is not accumulated on a factory wide level for distribution to several departments, each department will generally have a different rate. Department A's rate may be \$ 2.30 per direct labor hour. In addition, each department may use separate bases to determine the rate of application. For

example, factory overhead may be based on direct labor hours in department A and on machine hours in department B, application rates vary because of the differences in activity and functions of individual production departments.

To clarify, the production department applies factory overhead at a rate of 75% of direct labor cost. Total direct labor cost for job 85 amounted to \$ 3500, factory overhead applied would therefore be \$ 2625 (75% of \$ 3500). Assume that any under- or overapplied factory overhead is not adjusted until the end of the period.

Entry 5 records the application of factory overhead to job 85:

Work in process inventory- job5 2625

Factory overhead applied- production department

#### Job order cost sheet

A job order cost sheet summarizes the amount of direct materials, direct labor, and applied factory overhead for each job processed. Direct materials and direct labor cost information is obtained from material requisitions and labor summaries, and is posted to job order cost sheet daily or weekly. Factory overhead is usually applied at the end of the job, as are selling and administrative expenses.

Job order cost sheets are designed to provide information needed by management and therefore will vary according to management's desires or needs. For example, some forms include selling and administrative expenses and selling price so that estimated profit can be readily determined for each job. Other forms provide only basic factory cost data-direct materials, direct labor, and factory overhead. Forms will also

vary depending upon whether a firm is departmentalized or not.

#### Cost Sheet \*

Direct materials consumed	XXX
Direct labour	XXX
Direct expenses	XXX
Prime Cost	XXX
Factory overhead (say, of the prime cost)	XXX
Factory Cost / Works Cost	XXX
Add: Opening stock of W.I.P.	XXX
Less: Closing stock of W.I.P.	XXX
Works Cost of Finished Goods	XXX
Administrative overhead (say of works cost)	XXX
Cost of Production	XXX
Add: Opening stock of finished goods	XXX
Less: Closing stock of finished goods	XXX
Cost of Goods Sold	XXX
Selling and Distribution overhead (sayper unit sold)	XXX
Cost of Sales	XXX
Profit	XXX
Sales	XXX

\* The cost of each job is recorded in a summary sheet called a Job Order Cost Sheet or simply a Cost Sheet. This cost sheet is designed to collect the cost of materials, labor and production overhead consumed in completing the job. There is no standard format for Cost Sheet. Cost Sheet differs in form, contents and arrangement. It is designed according to the need of the organization.

Entry 6 transfers completed goods out of the work in process inventory account and into the finished goods

inventory account for job 85(direct materials \$ 2500 + direct labor \$ 3500 + factory overhead \$ 2625).

Finished goods inventory 8625

Work in process inventory 8625

Entry 7 records the delivery of job 85 to Maple Company:

Account receivable 12000

Cost of goods sold 8625

Finished goods inventory 8625

Sales 12000

# Spoiled units, defective units, scrap materials, and waste materials in a job order cost system

The term spoiled units, defective units, scrap material and waste material are not synonymous, for this discussion, the following definitions will apply:

**Spoiled units**. Units that do not meet production standards and are either sold for their salvage value or discarded. When spoiled units are discovered, they are taken out of production and no further work is performed on them. For example, if a batch of bread is left in the oven too long and burns, it cannot be corrected.

**Defective units**. Units that do not meet production standards and must be processed further in order to be salable as good units or as irregulars. For example, if a television set does not produce any sound, it can be reworked to correct the problem and sold as good unit.

Scrap material. Raw materials left over from the production process, that cannot be put back into production for the same purpose but may be sold but may be usable for a different purpose or production process or which may be sold to outsiders for a nominal amount. Scrap material such as

shavings, filing, and sawdust is similar to a by-product that results from the production of a main product in a joint manufacturing process and has a small sales value in comparison with the main product.

Waste materials. The part of raw material left over after production that has no further use or resale value. A cost of disposal may be incurred for waste materials.

# **Accounting for spoiled units**

A system of accounting for spoilage should be developed for all cost accounting system. This system should provide management with the information necessary to determine the nature and cause of spoiled units.

Spoilage is an important consideration in any production – related planning and control decision. Management must determine the most efficient production process that will

keep spoilage to minimum. Spoilage is typically divided into normal and abnormal spoilage.

Normal spoilage that results despite efficient production methods is called normal spoilage. Normal spoilage costs are considered to be an unavoidable cost of producing good units and are therefore treated as a product cost. For example, the cost of operating a production process that will yield a perfect product 100% of the time may outweigh the benefits. It may be more economical (by employing cheaper and less sophisticated equipment and workers) to accept, for example, a 5% spoilage rate than to plan for perfection. If management developed a production process where a 5% spoilage rate is considered acceptable, then it is expected that an efficient production process would result in no more than 5% normal spoilage. The cost of producing the good units would therefore also include the unavoidable cost of producing the number of spoiled units that are considered normal for the production process.

Normal spoilage costs have commonly been accounted for by either of the following two methods:

1- allocated (applied) to all jobs. In method 1, an estimate of the cost of net normal spoilage (normal spoilage cost less any estimated salvage value) is made and included in the factory overhead application rate to be applied to all jobs. When normal spoilage develops, the total cost of the spoiled units is removed from the work in process inventory because it has already been accounted for the work in work in process inventory as part of applied factory overhead.

The following entry would be made:

```
Spoiled units inventory (salvage value of spoiled units) x
Factory overhead control x
Work in process inventory- job A x
```

2-allocated (applied) to specific jobs. In method 2, normal spoilage is ignored in the computation of the factory overhead application rate to be applied to jobs. When normal spoiled units develop from a specific job, only the salvage value is removed from work in process inventory, leaving in the unsalvageable costs (thus increasing only the unit cost of the jobs where spoilage resulted). The following entry would be made:

Spoiled units inventory (40 x \$ 10) 400

Work in process inventory –job B 400

Method 1 (normal spoilage applied to all jobs) is appropriate when management considers spoilage inherent in their general production process and therefore expected to result from all jobs. Method 2 (normal spoilage applied to specific job) is appropriate when management expects spoilage to develop only on special jobs that may require, for example, more stringent specifications.

For example, assume 40 units were spoiled on job B. the spoilage was considered normal. Spoilage costs were \$ 50 per unit with an estimated salvage value of \$ 10 per unit. The following entry would be made to account for the normal spoilage if normal spoilage is applied to all jobs:

Spoiled units inventory (40 x \$ 10)	400	
Factory overhead control (40 x \$ 40)	1600	
Work in process inventory- job		20000

If the company's policy is to allocate normal spoilage to specific jobs, the following entry would be made:

Spoiled units inventory (40 x \$ 10)	400		
Work in process inventory-job B		400	

Abnormal spoilage. Spoilage in excess of what is considered normal for a particular production process is called abnormal spoilage. Abnormal spoilage is considered to be controllable by line or production personnel and is usually the result of Although inefficient operations. normal spoilage acceptable and expected in most production activities and is usually considered a part of production costs, abnormal spoilage is not anticipated and thus is usually not considered a part of the cost of production. Instead, the total cost of the abnormal spoiled units should be removed from the work in process inventory account and any salvage value should be recorded in a spoiled units inventory account, with the difference between the total cost of abnormal spoilage and the salvage value being charged to a loss from abnormal spoilage account. This account would appear on the income statement as a period cost. The entry to remove abnormal spoilage from the work in process inventory account appears as follows:

The unit cost of the good units is not affected by this technique. For example, assume that 5000 units are put into production for job 106 at a cost of \$ 20000 the work in process inventory account for job 106 would have a debit balance of \$ 20000.

The unit cost on job 106 would be \$ 4 (20000/5000). If 20 units are found to be spoiled with a salvage value of \$ 0.5 each and no spoilage was anticipated for job 106, the 20 units are deemed to be abnormal spoilage. The total cost of these units must be removed from the work in process inventory account as follows:

Spoiled units inventory (20*50)	10	
Loss from abnormal spoilage ((20*4)-(20*0.5))	70	
Work in process inventory- job A (20*4)		80

The work in process inventory account for job would now appear as follow:

Work in process inventory- job106		
	<u>20000</u>	<u>80</u>
Balance	<u>19920</u>	

The unit cost for job 106 is still \$ 4 {\$ 19920 /4980(5000 good units- 20 abnormal spoiled units)}.

The following is an example of a situation involving both normal and abnormal spoilage: assume that 10000 units were put into production for job 9 and the total cost of production was \$ 300000 normal spoilage for the job is estimated to be 50 units.at the completion of production only 9910 units were good (90 units were spoiled, with a salvage value of \$ 5 each). Therefore, normal spoilage was 50 units and abnormal

spoilage was 40(90-50) units. The following entries would be made, assuming that normal spoilage is allocated to specific jobs:

Normal spoilage (50 units) to remove salvage value:

Abnormal spoilage (40 units) to remove total cost of spoiled units:

The unit cost before the adjustment for spoilage was \$ 30 (\$ 30000 / 10000 units). After the above entries are posted, the work in process inventory account would have a balance of \$ 298550, shown as follows:

Work in process inventory- job9			
Cost put into production	300000	Normal spoilage	250
		abnormal spoilage	1200
		Balance	298550
	300000		300000

The unit cost for job 9 is computed as follow: (298550/9910) =\$ 30.126 per unit

Note: the unit cost computed for abnormal spoilage using \$ 30 which is the unit cost before the adjustment for normal spoilage. Manufacturing firms can compute the unit cost for abnormal spoilage either before or after the adjustment for normal spoilage because the difference between the two methods is usually insignificant. For example, if the unit cost for abnormal spoilage is computed after the adjustment for normal spoilage, the unit cost used to remove abnormal spoilage from work in process inventory would be \$30.13 (\$ 300000 -\$ 250)/ 9950. Thus, abnormal spoilage would equal \$ 1005 (40 \* \$30.13 = \$1205 - \$200). The method chosen by accompany should be consistently applied.

## Accounting for defective units

The difference between spoiled units and defective units is that defective units are reworked to put them into condition to be sold with good units or to be sold as irregulars, whereas spoiled units are sold (at salvage value) without additional work being performed on them. As with spoiled units, defective units are classified as either normal or abnormal.

Normal defective units. The number of defective units in any particular production process that can be expected despite efficient operations are called normal defective units. Normal defective rework costs have commonly been accounted for by either of the following methods:

1- allocated(applied) to all jobs. An estimate of the normal rework cost is made and included in the factory overhead application rate to be applied to all jobs. When normal rework costs are necessary, factory overhead

control is charged because rework costs have already been charged to work in process inventory as part of applied factory overhead. The following entry would be made:

Factory overhead	Х	
Materials inventory	х	
Payroll payable	Х	
Factory overhead applied	×	

Note that the preceding entry although commonly used in practice, is unusual in that factory overhead control account is debited and the factory overhead applied account is credited for the estimated portion of factory overhead rework costs. During the year, the work in process inventory account is debited and the factory overhead applied account is again credited for the same estimated portion of factory overhead rework costs. Thus the factory overhead applied account is credited twice for the factory overhead portion of rework costs. The factory overhead control account is also debited

again when the factory overhead rework costs are incurred. The final result is that both the factory overhead applied account and the factory overhead control account are charged twice for the same rework costs. Since both accounts are closed against each other at the end of the year, the double counting of the rework portion of factory overhead is eliminated.

For example, assume that the normal portion of factory overhead expected to be incurred during the period, for rework costs is \$ 200 the predetermined factory overhead application rate is increased to account for this because rework costs are to be allocated to all jobs. On the assumption that the actual additional factory overhead rework cost is \$ 200 (resulting from increased use of electricity), the following summary entries would be made:

A- defective units are reworked:

Factory overhead control	200	
Factory overhead applied	200	

B-factory overhead is applied to work in process inventory during the period (only the additional amount for factory overhead rework cost is shown):

Work in process inventory (various jobs)	200
Factory overhead applied	200

C-the electricity cost for reworking defective units is recorded:

Factory overhead control	200	
Accounts payable	200	

The posting of these entries would result in the following account balances:

Factory overhead control (\$ 200 entry 1+ \$ 200 entry 2) \$ 400 debit.

Factory overhead applied (\$ 200 entry 1+ \$ 200 entry 2) \$ 400 credit.

Work in process inventory (\$ 200 entry 1) \$ 200 debit.

D-yearend closing entry:

The end of these entries is that total work in process inventory is increased by \$ 200, which cancels the factory overhead portion of rework costs.

2-allocated (applied) to specific jobs.in method2, rework costs are ignored in the computation of factory overhead application rate to be applied to specific jobs. When rework

costs are necessary, work in process inventory for the specific job is charged. The following entry would be made:

Work in process inventory-job A	Х	
Materials inventory	X	
Payroll payable	X	
Factory overhead applied	X	

For example, assume that 20 units were found to be defective on job22 and had to be reworked. The cost of reworking the defective units is as follows:

Direct material	\$ 1000
Direct labor	400
Factory overhead applied(50% of laboration)	or dollars) 200
The following entry would be made to	account for the
normal rework costs if normal rework costs	s are allocated to

1000
400
200

If the company's policy is to allocate normal rework costs to specific jobs, the entry would be:

Work in process inventory-job 22	1600	
Materials inventory	1000	
Payroll payable	400	
Factory overhead applied	200	

Abnormal defective units. The number of defective units that exceed what is considered to be normal for an efficient productive operation are called abnormal defective units. The total cost of reworking abnormal defective units should be charged to a loss from abnormal defective units account instead of the work in process inventory account because it is the result of inefficient operations and should not become part of the product cost. The cost of reworking abnormal

Loss from abnormal defective units	1600
Materials inventory	1000
Payroll payable	400
Factory overhead applied	200

defective units should be shown on the income statement as a period cost. In our previous example (job 22), if no defective units are anticipated, the 20 defective units would be considered abnormal and the following entry would be made:

As an example of the situation involving both normal and abnormal defective units, assume that 40000 units are placed into production for job32. Normal defective units for this job are estimated to be 400; actual defective units were 1000. The total cost to rework the 1000 defective units was as follows:

Direct materials	\$ 500
Direct labor	1000
Factory overhead applied(50% of direct labor dollars	s) <u>500</u>
total	\$ 2000
Unit cost of reworking is computed as follows:	
= total rework costs/total units reworked	
=2000 \$ /1000=\$ 2 rework cost per defective unit	

Direct materials	500/1000=0.5per unit
Direct labor	1000/1000=1 per unit
Factory overhead	500/1000= <u>0.5 per</u> unit
	\$ 2 per uni

The following journal entries would be made, assuming that normal rework costs are applied to specific jobs:

Normal defective units (400 units):

Work in process inventory-job 32(400* \$ 2) 800	
Materials inventory (400*\$ 0.5)	200
Payroll payable (400*\$ 1)	400
Factory overhead applied (400*\$ 0.5)	200

Abnormal defective units (600 units):

Loss from abnormal defective units (600*\$ 2)	1200
Materials inventory (600*\$ 0.5)	300
Payroll payable (600*\$ 1)	600
Factory overhead applied (600*\$ 0.5)	300

# **Accounting for scrap material**

A cost accounting system should provide a method of costing and control for scrap as it does for spoilage and defective units. When the amount of scrap produced exceeds the norm, it could be an indication of inefficiency. A predetermined rate for scrap should be prepared as a guide for comparison with the actual scrap that results. If large variances occur, management should find the reason and correct the problem.

Scrap materials have commonly been accounted for in either of the following two ways:

1-allocated (applied) to all jobs.an estimate of the proceeds from the sale of scrap is considered in the computation of the factory overhead application rate. The entry to record the sale of scrap would reduce factory overhead control. For example, scrap from job 402 was sold for \$ 100 and had been considered in computing the factory overhead application rate. The following entry is made to record the sale:

Cash 100
Factory overhead control 100

This method is simple and acceptable when scrap does not result from any particular job and is common to the whole production process.

2- allocated (applied)to specific jobs. In method 2, the estimated proceeds from the sale of scrap are not considered in the computation of the factory overhead application rate. The entry to record the sale of scrap would reduce the work in process inventory of specific job in which the scrap originated.

If this were the case, the \$ 100 of scrap from job 402 would be recorded as follows:

Cash 100
Work in process inventory- job 402 100

No entry is normally made on the books when scrap is returned to the materials inventory, only a memorandum as to the type and quantity returned. Only when the dollar amount of scrap is material and there is a significant time lag before it can be sold is an inventory value assigned to the scrap.

## **Accounting for waste material**

The cost of disposing of waste materials may be allocated either to all jobs (included in the factory overhead application rate) or to specific jobs (not included in the factory overhead application rate). The entry would be made as follow:

Waste allocated to all jobs:



Waste allocated (applied) to specific jobs:



Waste exceeding a normal level (based on past experience or engineering specifications) indicates inefficiencies

somewhere in the production process and signals management to take corrective action.

Although the cost of disposing of waste materials is usually slight when compared to the total cost of production, in some manufacturing and service operations it may involve for significant expenditures, example, chemical a manufacturer may have toxic waste which requires special packaging before disposal and thus result in an expensive disposal operation. Another example would be the cost of disposing of radioactive waste materials from a nuclear power plant. The cost of disposing of most types of waste is expected to increase significantly in the near future as existing garbage dumps fill up and more elaborate and expensive forms of disposal must be developed.

you the following information
\$
10,000
85,000
4,000
20,000
10,000
10% of direct labor
10% of works cost
\$ 2 per unit sold
1,000 units (\$ 16,000)
10,000 units
2,000 units certain the selling price per
out the amount of profit:  24000  6,000 14,000  4,000 3,200  1,600 60,000  During the month, 12,800 quintals

(3)A company manufactures to customer order and operates a job costing system. Job X-3 remained incomplete at the end of April with the following production costs incurred:

Prime Costs: \$4,360

Overheads: \$2,890

The company worked on two jobs in May, Prime Cost incurred were:

Direct materials issued from stores

Direct materials transferred between two jobs

Direct labor

85,990

65,000

Direct labor is paid at a rate of \$ 9.00 per hour. Production overheads are absorbed at a rate of \$ 17.50 per direct labor hour. 10% of the total production cost of each job is added in order to recover general administration costs. Job X-3 was completed in May and the customer paid the agreed sum of \$ 13,400.

#### You are required to:

- (i) Prepare a Profit Statement for Job X-3
- (ii) Calculate the value of work-in-process for Job X-4 at the end of May.

#### (4)ARB Ltd. furnished the following information for the year 2019–20:

Stock of raw materials on 1.4.2019	1,00,000
Stock of finished goods on 1.4.2019 (500 tonnes)	8,00,000
Freight paid	2,00,000
Prime cost	44,50,000
Stock of raw materials on 31.3.2020	3,00,000?
Stock of finished goods on 31.3.2020 (750 tonnes)	
Direct labor:	
60 skilled labor @ \$50 per day for 250 days	
200 unskilled labors @ \$ 30 per day for 250	
days	
Indirect wages	40,000
Factory rent, rates and power	30,000
Salary of Managing Director	50,000
Office rent and taxes	1,00,000
Donation	30,000
Advertisement	4,50,000
Income tax	60,000
Depreciation on plant and machinery	35,000
Selling overhead	5,00,000

#### Other information:

Packing and distribution expenses

- (a) During the year 2019-20, 2,250 tonnes of finished goods were sold.
- (b) The company valued the closing stock of finished goods under FIFO basis.
- (c) The company maintains profit @ 20% on sales.

On the basis of above-mentioned data, you are required to prepare a detailed cost sheet for the year 2019-

he year 2020:	\$	
Opening Stock : Raw materials	18.000	
Finished goods	5,000	
Closing Stock:	10,000	
Raw materials	10,000	
Finished goods	6,000	
Purchase of raw materials	90,000	
Indirect wages (factory)	5,000	
Direct wages	18,000	
Power & Fuel	12,000	
Office Salary	14,000	
	9.000	
Sundry Office Expenses Salesman's Salaries  (6)Prepare a Cost Sheet from the following particu	6,000 lars :	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particu	6,000 lars :	
Salesman's Salaries	6,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:	6,000 stars:	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process	6,000 lars : \$ 1,00,00	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particu  Opening stock on 1.1.2013:  Raw materials	6,000 lars : \$ 1,00,00 30,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process  Finished goods	6,000 lars : \$ 1,00,00 30,000 2,500	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular conditions on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:	6,000 lars : \$ 1,00,00 30,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular conditions on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process	6,000 lars: \$ 1,00,00 30,000 2,500 90,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process  Finished goods	6,000 lars: \$ 1,00,00 30,000 2,500 90,000 25,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular conditions on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process	6,000  lars:  \$ 1,00,00 30,000 2,500  90,000 25,000 7,500	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process  Finished goods  Purchase of raw mateirals during the year  Directwages	6,000  lars:  \$ 1,00,00 30,000 2,500  90,000 25,000 7,500 2,50,00	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process  Finished goods  Purchase of raw mateirals during the year	6,000  lars:  \$ 1,00,00 30,000 2,500  90,000 25,000 7,500 2,50,00 75,000	
Salesman's Salaries  (6)Prepare a Cost Sheet from the following particular Depening stock on 1.1.2013:  Raw materials  Work-in-process  Finished goods  Closing stock on 31.12.2013:  Raw materials  Work-in-process  Finished goods  Purchase of raw mateirals during the year  Directwages  Manufacturing overheads	\$ 1,00,00 30,000 2,500  90,000 25,000 7,500 2,50,000 75,000 50,000	

30000 units:

Cost of normal spoilage(500units)(assume normal spoilage was ignored in the	
computation of the factory overhead application rate)	\$20000
Cost of abnormal spoilage(10units)	\$4000
Salvage value of spoiled units	\$10per unit

(8) The S. Loppy Manufacturing Company produces items made to order and uses a job order cost system to record and distribute costs. The following information applies to job 86 for 30000 units:

Cost of normal spoilage (500 units) (assume	
normal spoilage was ignored in the computation	
of the factory overhead application rate)	\$20000
Cos abnormal spoilage (100 units)	\$4000
Salvage value of spoiled units	\$10 per unit
Cost of reworking defective units (required only	•
labor, assume normal rework costs were	
ignored in the computation of the factory	
overhead application rate)	\$5 per unit
Normal defective units	140
Abnormal defective units	20
Cash received from sale of scrap materials	
(assume scrap was ignored the computation of	
the overhead application rate)	\$ 300
Cost disposing of waste materials (assume the	Ψ 500
cost of disposing of waste was included in the	
factory overhead application rate)	\$40
<b>Required:</b> Write the journal entries necessary to	

**Required**: Write the journal entries necessary to record the above information.

- (9) Wellgoes Company put 1331 units into production for job
- 3. Spoilage costs were %40 per unit. Only 1300 good units are produced and the rest are spoiled, with a salvage value of \$6 each. Spoilage of 20 units was anticipated.

**Required**: Write the journal entries necessary to record the above information, assuming that the normal spoilage costs were:

- .a Allocated to all jobs (included in the factory overhead application rate).
- .b Allocated to specific jobs (not included in the factory overhead application rate).
- (10) Cosmo Company placed 16500 units into production for job 16. Normal defective units for this job are estimated to be 100 units. The actual defective units were 250. The total cost to rework the defective units is as follows:

Direct materials	\$300
Direct labor	450
Applied factory overhead (30% of direct	t labor) <u>135</u>
Total	\$885
Required: Write the journal entries neo	cessary to record the
above information, assuming that norma	ıl rework costs were:
.a Allocated to all jobs (included in	the factory overhead
application rate).	
.b Allocated to specific jobs (not inc	luded in the factory
overhead application rate).	
(11) Register, Inc., had both defects	ive units and scrap
materials from job 186. There were 70	defective units, 20 of

J

overhead application rate.

which were abnormal. The scrap material were sold for \$ 125

and were not considered in the computation of the factory

## **Required**:

.a Prepare journal entries for the normal and abnormal defective units, assuming the following rework costs:

Direct materials \$105

Direct labor 70

Factory overhead 35

Total \$210

Normal rework costs allocated to all jobs (included in the factory overhead application rate).

.b Prepare journal entries for the sale of the scrap materials.

(12) The Dapper Dan Company makes jackets and uses a job order cost system to record and distribute costs. The following information relates to job 22, which is the production of 1000 jackets at a total cost \$15000. Normal

spoilage is estimated to be 25 jackets. Abnormal spoilage consisted of 4 jackets.

Normal defective units for this job are estimated to be 11 jackets. Actual defective units were 16. At completion of production only 955 jackets were good before defective units were reworked. The salvage value of the spoiled goods is \$3 per jacket. The total cost to rework the defective units was as follows:

Direct	materials	\$50

Direct labor 40

Applied factory overhead <u>10</u>

Total \$100

Cash received from the sale of scrap materials was \$150. A special inventory account for scrap is not maintained. The cost of disposing of waste materials was \$25. The factory

overhead application rate does not include a provision for normal spoiled units, normal defective units, scrap, and waste.

**Required**: Prepare journal entries to record the above information. (Assume that the unit cost for abnormal spoilage is computed before the adjustment for normal spoilage).

(13) The Hungry Frozen Food Company maintains a job order cost system. For the month of June it had the following information: Work in process inventory on June 1 was \$12500; raw materials purchased amounted to \$15000; materials requisitioned were \$11000 of which \$3000 was indirect. Payroll for the month was \$36000, \$12000 of which was indirect. The actual factory overhead was \$42000. Factory overhead is applied at %85 of direct labor cost. Jobs with a total cost of \$52000 were completed during June. Jobs

costing \$76000 were sold at a markup of 30% of cost.

Assume a perpetual inventory system.

## Required:

.a Prepare the entries for the above transactions.

.b Compute the amount in the work-in-process inventory on June 30.

(14) Ajax Assembling Company is manufacturing 500 radios for Sonar Sound Supply via job 821. The radios were ordered on April 11, 2020, and work was commenced 3 days later. They were completed and delivered on April 18, 2020. There were not specifications for the job, and radios were to be standard size.

Ajax accumulated the following costs in connection with job 821:

Materials received on requisition 492:

500 enclosure at \$.10 each

500 transistors at \$.50 each.

2500 circuits at \$.25 each

1000 dials at \$.40 each

2000 wires at \$.05 each

For the purposes of this job, the dials and wires are considered to be indirect materials.

For the duration of job 821, three permanent employees worked a total of 180 hours at a rate of \$9.25 per hour. Any hours in excess of 40 per worker are overtime and are to be paid at 1½ times the normal hourly rate.(Assume that overtime is charged to jobs as incurred).

In addition, five employees worked 20 hours each on job 821, at an hourly rate of \$5.85.

Salaries for supervisors and repair personnel amounted to \$550 for the job.

Factory overhead is applied on the basis of \$1.25 per direct labor hour.

The radios were sold for \$15 each, and selling and administrative expenses were 2% of total sales. The company uses a perpetual cost accumulation system.

## **Required:**

- .a Journalize the above transactions.
- .b Prepare a job order cost sheet for job 821.
- .c Prepare journal entries to transfer goods from work-inprocess inventory to finished goods inventory, and to record the sale and delivery of the merchandise.

(15) Shamrock, Inc., entered into the following transactions during May of 2021:

1	Purchased materials on account for \$56000.
	Assume no beginning inventories.
2	Job 67 requisitioned direct materials of \$32000 and
	supplies of \$6000.
3	Job 67 incurred labor costs of \$4400 for direct
	labor and \$1200 for supervision.
4	Factory rent of \$2000 was accrued but not paid.
	Factory depreciation was \$800 on the building and
	\$1750 on the equipment.
5	Factory overhead was applied at a rate of 75% of
	direct labor dollars.
6	Goods costing \$30000 were transferred to finished
	goods inventory and then sold on account for
	\$40000

Required: Journalize the above transactions and post them to T accounts.

(16) Steinwin Corporation produces high-quality pianos. Work is completed in one department, Production. The following transactions occurred relative to job 491:

Purchased for cash and received on June 14, 2021, when they were immediately requisitioned for job 491:

600 lb of ivory at \$6.50 per pound

100 ft of string at \$2.60 per foot

50 lb of oak at \$12 per pound

Accounted for the following labor costs on June 18, 2021: 100 hours of direct labor, 60% of which was paid \$7.75 per hour. The remaining hours were paid at \$6.35 per hour. Supervision costs

amounted to \$895.


Utility costs for the job were \$605. Depreciation on factory machinery was \$715. Miscellaneous factory expenses totaled \$545. Depreciation of office equipments \$500

Factory overhead is applied on the basis of %110 of direct labor cost

On June 21, 2021, as a result of a breakdown in the Production department, three pianos were considered to be defective. Normal rework costs amounted to \$640 for direct materials and \$1175 for direct labor. In addition 10% of the ivory was wasted. It cost \$230 in cash to remove the materials from the factory. Normal rework costs and waste disposal were not included in the factory overhead application rate.

At the completion of the job, the units were transferred to finished goods inventory. The following week, they were sold for \$12000. Fifty percent of the sales price was paid in cash, the rest by a 30-day note.

**Required**: Prepare journal entries reflecting the above transactions.



### 2/1 introduction

In addition to the products that are produced according to the customer's request, and according to a prior contract between the customer and the producer, which are covered by the cost systems of short and long-term contracts, there are other products that are produced for the market according to the continuous production system.

There are many different industries, whose activity is based on the production of one main product with specific standard or typical specifications, on the basis of which the product is marketed. Such as the mining industries, the chemical and pharmaceutical industries, the detergent industry, the cement industry, the sugar industry, the candy industry, the paper industry and others. These industries are characterized by the homogeneity of the product units in their final form, as is the case for a piece of soap in the soap industry, or a ton of

aluminum in the aluminum industry. Therefore, all production processes are the same for each unit of production. In such activities, the manufacturing of the product passes through successive production stages, each stage of which carries out a distinct set of industrial processes that contribute to the formation of the product in the required quality, so that it becomes fit for its purpose only after the completion of the last production stage. Of course, the number of production stages varies according to the nature of each product and its intended purpose.

The process cost is characterized by many features that reflect its impact on the adopted costing system in terms of the favorable treatment of the issues and problems that these features give rise, and perhaps the most prominent of these characteristics are the following:

## 1-The independence of the production stages:

We mentioned above that each production stage carries out a set of industrial processes that distinguish it from other stages, and this distinction extends to include the method of production and the technical and technological methods used. as well as the quality of raw materials, the quantity and quality of labor, the quantity and quality of machines, equipment, and other necessary services, and etc.

According to this distinction in the production method and production requirements in the stage, each stage is considered as if it were a stand-alone factory, with its different inputs from the production requirements, as well as its outputs from the units of the product, and the outputs that benefit in full from the production processes in the stage are considered complete units for this stage only and move to the next stage, and so on until the last stage in which the product

is wholly completed to reach its final form required at the level of the industry as a whole. This requires the need for a costing system to be in charge of accumulating and aggregating costs at the level of each stage separately.

## 2- stage outputs are non-homogeneous

It is rare for the production phase to start with the processing of a certain number of units, and then end with the completion of this number in full without leaving units in operation that have not yet been completed at the end of the period. In most cases, the production stage begins with a certain amount of units, some of them are completed and fulfilled all the prescribed industrial operations and become complete at the level of the stage and transferred to the next stage or to the finished production inventories in preparation for its sale, Others of this quantity reach a certain level of completion, but it is not completed yet at the end of the

accounting period, so it remains in processing at the stage until it is completed during the next period. In addition to the above some units may be spoiled or lost during processing after they have reached a certain level and their processing stops after that.

Hence, we find that the outputs of the stage may include several types of units that differ among themselves in terms of the extent to which they benefit from the operations scheduled for the stage. The complete units at the stage level got their full share of the operations. As for the other units, whether they are scheduled to complete the processing in the following period, or those whose processing was stopped at a certain level due to damage, these units have not yet benefited from all the operations that were scheduled for them with the different level of completion. Therefore, the unit share of the stage costs will vary according to the

different types of production outputs and according to the level of completion reached by each of them. Undoubtedly, this imposes burden on the costing system used. The costing system in this case must accurately determine the cost of each type of output separately, for specifying accountability.

# **3-** Changing the amount of production during processing in the stage

It often happens in the process costing that the volume of production is exposed to an increase or decrease during operations as a result of natural reasons related to the nature of the industrial operations that are carried out on it. For example, a certain department may start with a specified number of units to perform operations on them, and then after a certain period of time or operation, during which those units have reached a determined level of completion. Another material or materials are added, and this addition leads to an

increase in the number of units than what the department originally started with.

On the contrary, adding a certain materials during operation, or carrying out an additional industrial process, may lead to a reduction or decrease in the number of units that the department begins with. As is the case when adding some materials that work to extract, purify, or cohesive product particles, or what happens from evaporation volatilization of some quantities as a result of heating operations in the case of liquids. In such cases, the unit's share of costs before the increase or decrease will, of course, differ from it after the increase or decrease, and the costing system used should trace the units during processing to determine the exact unit cost.

## 4- Reprocessing

It often happens that some units get damaged after they have reached a certain completion level, whether due to permissible / natural reasons or for other reasons that are not permitted. In such cases, it may be decided to repair these units because it is not possible to sell them in their condition, and this is done by reprocessing them, either at the same department in which the damage occurred, or by returning them to an earlier department or departments. The costing system must accurately determine the cost of these units before reprocessing them, then the cost of reprocessing and how to account for them.

# 2-2 Accounting for costs of production in process costing

It is known that the costs of production in any cost system are divided into three types: Direct materials - direct labor and factory overhead.

The process costing system uses well-known control accounts to accumulate the production cost elements from materials, wages and other indirect costs.

A separate work in process inventory account is opened for each department, which debited by the costs of production incurred on the department, and credited by the costs of completed units, units still in process at the end of the period, the abnormal damaged or spoiled production, if any.

It is worth noting that the abnormal damaged or spoiled production is considered an element of the department's output, but the department is not charged by its cost or burden. Therefore, it appears on the credit side of the department's work in process inventory account and then closed in the profit and loss account. In the following, we present the accounting treatment of the costs of production

that are charged to the debit side of the work in process inventory account

## **First: Accounting for the materials**

The incurring of materials for the different departments is according to "material requisition form" As long as the materials are incurred on a specific production process or department, the procedures for charging the department with the materials incurred on them are mostly used in the first department and less used in the following departments.

In some companies, special inventories are allocated for each department in which the materials used by the department are stored from time to time. This procedure facilitates the process of inventorying materials and it is sufficient to determine the quantity of materials used in production by monitoring the inventory at the beginning of the period and the quantities received during the period, By determining the

ending inventory, it is possible to know the quantity of materials used by the department during the period.

One of the unique characteristic of the process costing is that the large size of the cost unit (which is the department or cost center) makes the distinction between direct materials and indirect materials unnecessary. All materials incurred for this department are considered direct at that department, which also facilitates the accounting procedures for the materials.

The materials used by departments are recorded by debiting the department work in process inventory account and crediting the materials inventory account. Of course, one entry can be made for the materials issued from the inventories during the period (usually weekly or monthly) as follows:

By sundries

Work in process inventory dep 1

Work in process inventory dep 2

Work in process inventory dep 3


To material inventory

Materials used by departments for the month of

### **Second: Accounting for labor:**

As long as each production department or production stage is the cost unit on which the costs are accumulated, the use of time cards to record the time that workers took in production is sufficient instead of using the "job card" as is the case of the job order costing system.

It is also noted that the distinction between direct and indirect labor is unnecessary. Labor costs are charged as follows:-



Third: Accounting for indirect costs (factory overhead)

It is possible to charge the production departments with indirect industrial costs on the basis of predetermined application rates, but if the nature of production leads to the

continuation of the cost flow in a continuous and orderly manner from one period to another, So that there are few causes - or almost no causes - that lead to differences between the amount of indirect costs charged to production and the actual indirect costs, so the actual application rates can be used, But if the level of production changes from one period to another (as if the production were for seasonal factors), it is preferable, of course, to use the predetermined application rates, So that there is no significant difference in the cost of production from one period to another, in a way that it is not possible to compare the unit cost in different periods.

It is noted in this system that some companies differentiate in the books between variable and fixed factory overhead. For the fixed factory overhead, it charged to the departments on the basis of predetermined application rates (based on the normal production capacity). If there is a difference between the actual fixed factory overhead and applied fixed factory overhead, this difference shall be considered the responsibility of the management and closed directly to the profit and loss account.

And if the companies follow the policy of charging actual factory overhead costs, then after collecting the actual factory overhead costs and assigning it to the production departments, the following entry is made:

#### By sundries

Work in process inventory dep 1

Work in process inventory dep 2

Work in process inventory dep 3

To factory overhead control

Allocation of factory overhead costs for the month of ... on production departments

But if the firm uses the predetermined application rates, the entry will be:

By sundries

Work in process inventory dep 1

Work in process inventory dep 2

Work in process inventory dep 3

To applied factory overhead

Charging the production departments with factory overhead costs on the basis of the predetermine application rates

As a result of the accounting treatment of cost elements as previously, these elements appear in the debit side of the departments work in process inventory account as follows:

Work in process dep 1 account						
To material inventory	XX					
To payroll payable	XX					
Ty applied factory overhead	XX					
	XX		XX			

It is worth mentioning in this regard that the elements of labor and factory overhead costs are often combined together in one element called conversion costs, in order to facilitate the accounting workload, especially if the factory overhead costs are charged on the basis of direct labor.

# **3- Determining the costs of the production elements in the department:**

Here we mean by production elements in the department, the outputs of the department at the end of the processing period that is being reported. These outputs include

- -Complete units transferred out to a next department or finished goods inventory.
- -Units still in process at the end of the period that remain in the department to complete their processing in the next period.
- Spoiled, missing, defective, or rejected units.

The completion levels of these units have varying percentage, and therefore, the share of each unit of the

production costs differs in the department. As it is not correct in light of the heterogeneity of the outputs in the department to calculate the unit cost by dividing the total production costs incurred in the department by the total output units therein.

There is a necessity for determining the unit cost of each product cost element separately and reporting on it periodically at the end of period. Therefore, the process costing system defines procedures for measuring and determining the cost of production elements as follows:

First: an accurate calculation of the production quantity in units

This is done for each department separately from the daily or weekly reports and others prepared by those responsible for production in each department. This includes determining the quantity, type and completion level of the units that have been started processing in the department during the period.

Whether the units are incomplete units remaining from the previous period, or new units received or other inputs.

It also includes determining the quantity, type, and completion level of the units that have processed at the same department during the same period, whether the units that have been fully completed or that are still in process (incomplete units) for the next period or the units that have been damaged or lost during processing and their causes and other outputs.

A report is prepared as a result of this counting, called" production quantities schedule" takes the following form:

production quantities schedule	
Units to account for(inputs)	
Beginning units in process (%)	XX
Units received from preceding department or	XX
Units started in process	
Units	XX
total	XXX
Units accounted for (outputs)	
Units transferred to the next department	XX
Ending units in process (%)	XX
Units	XX
total	XX

The careful examination must result in the equality of the total of the inputs with the total of the outputs.

# **Second: calculating the equivalent production**

As is clear from the previous step, the outputs of the department include several types of units, and these units are not homogeneous in terms of their completion level, and therefore the unit share for each type from production costs differ.

Therefore, it is necessary to homogenize the output units by converting the incomplete units into their equivalent complete units, so that the unit cost for finished units can be determined. This is done by relying on the completion level of the incomplete units determined by the technicians specialized in production. Equivalent production equals total units completed plus incomplete units restated in terms of completed units.

Assuming that one of the departments produced during period 1000 units, of which 800 units are fully completed and the rest is still in processing at the end of the period with 50% completion level.

In this case, the equivalent production for this department is as follows

Output units	Equivalent units
800compeleted	
unitsx100%=	800
200units still in process	
x50%=	100
	900units

The above means that the outputs of the department of all types, which are 1,000 units, are equivalent to only 900 complete units. It also means that the processing efforts in the department, if it were limited to 900 units only, it would finish their processing and there will be no units still in process. , and most importantly, it means that the costs that the incurred in processing 1,000 units in the department are sufficient to complete only 900 units in full.

We must point out here, and as will be explained in detail later, that it is not constant that the completion level of the

incomplete units be the same for all product costs elements as is the previous simplified assumption.

For example, the units still in process at the end of the period may have fully benefited from the materials element at the beginning of process, but they benefited from the conversion costs (labor + factory overhead) by only 50%. Therefore, it is necessary to restate the incomplete units for each product cost element.

This is expressed in the form of a report called the equivalent production schedule, in which the outputs of the department are restated as they appeared in the aforementioned production quantity schedule. to compute the equivalent production, an analysis must be made of the completion level of work in process inventory it must be subdivided into direct materials, direct labor and factory overhead in order to

determine the completion level of each component. This schedule takes the following form:

	No.	Direct mater	ials	Direct labor		Factory over	head
Description/items	of	Stage of	Equivalent	Stage of	Equivalent	Stage of	Equivalent
	units	completion	units	completion	units	completion	units
-Units completed	XX						
and transferred							
out							
-Ending units in	xx						
process							
-Spoiled units	XX						
-Units	xx						
Total Equivalent							
units							

Third: Determining the total production cost and the unit cost of the product for the department:

What we presented in first and second is a necessary prelude so that the product unit cost and the cost of the production outputs at the department can be determined in a proper and accurate manner. This is done in two steps. The first step: It is concerned with determining the unit cost of the product in detail for each cost of production elements. This is done by dividing each element of the costs by the number of its equivalent production units, as previously specified in the Equivalent Production schedule. By summing up the unit share of all the cost components, we arrive at the unit cost of the product.

The second step: It is concerned with determining the cost of production types (outputs) in each department separately. This is done by multiplying the complete total unit cost (as defined in the previous step) by the number of units of each type of the outputs, taking into account the equivalent production for the incomplete units. This procedure is expressed in the form of a report called the costs of production costs report and takes the following form:

	Equivalent	otal costs		
description	production	Sub total	total	Unit cost
First: costs added by the				
department			XXX	xx
Direct material	XX		XXX	XX
Direct labor	XX		XXX	XX
Factory overhead	XX		AAA	AA
Total costs			XX	XX
Second: costs of production				
outputs				
-Transferred to the next dep.	XX		XX	XX
Or finished goods inventory				
-Ending work in process				
Materials	XX	XX		XX
Labor	XX	XX		XX
Factory overhead	XX	XX	XX	XX
-units				

It is clear that the cost of production report consists of two parts, in the first part, accumulating the elements of product costs incurred by the department, and by dividing each of them by the equivalent production units, the unit cost for each of these elements is determined, and this corresponds to the first step previously referred to.

Total costs

In the second part of the report, the cost of the production outputs for the department is determined using the unit cost that was calculated in the first part, with respect to each type of outputs separately. This corresponds to the second step previously mentioned. Note that the total of the costs in the two parts must be equal.

# Fourth: Preparing the work in process inventory account for the department

With the end of the previous procedure, as we presented in the third item, the costing system has determined the cost of each type of production outputs in the department whether the cost of the complete units at the level of the department or the remaining units (units still in process) and so on.

These items represent the credit side of the work in process inventory account, which appears in full as follows:

Work in process dep. 1 account									
To beg. Work in process	XX	By finished good inventory	XX						
To costs from preceding department (transferred in costs)	xx	By transferred out costs	XX						
To material inventory		By abnormal spoiled units	XX						
To payroll payable	XX	By ending work in process	XX						
To applied factory overhead	xx								
	XX		XX						

# Example 1

Production is carried out in one of the factories in two departments, and the first department started with the manufacture of 12000 units of product "N" during January.

Raw materials were issued to the department from the storeroom at \$ 36000. The direct labor at this department during the month amounted to \$ 37,500, and the factory overhead incurred equal \$ 25,000. During the month, 9000 units were completed and transferred to the second department, 3000 units still in process, with a completion

level of 33.33% from conversion costs, but it received 100% with respect to materials.

In the second department, direct labor were \$ 24,000, and factory overhead were \$ 16,000, and 7,000 units were completed and sent to finished goods inventory, and 2,000 units remained in process, with an estimated completion level of 50%.

### Required

- 1- Prepare quantity schedule and costs of Production report for each of the two departments for the month of January.
- 2- Prepare the journal entries for the month of January.
- 3- Prepare the work in process inventory account for each of the two departments for the month of January.

# First: department 1

production quantities schedule					
for January					
Inputs:					
Units started in process	12000				
total	12000				
Outputs:					
Units transferred to the next department	9000				
Ending units in process (1/3)	3000				
total	12000				

Equivalent production schedule									
	No.	Direct n	naterials	Direct labor		Factory overhead			
Description/items	of	Stage of	Equivalent	Stage of	Equivalent	Stage of	Equivalent		
	units	completion	units	completion	units	completion	units		
-Units completed	9000	100%	9000	100%	9000	100%	9000		
and transferred									
out									
-Ending units in	3000	100%	3000	33.33%	1000	33.33%	1000		
process									
Total Equivalent			12000		10000		10000		
units									

# Cost of production report

	Equivalent	To	tal costs	
description	production	Sub total	total	Unit cost
First: costs added by the				
department				
Direct material	12000		36000	3.00
Direct labor	10000		37500	3.750
Factory overhead	10000		25000	2.500
Total costs to account for			98500	9.250
Second: costs of production				
outputs				
-Transferred to the next dep.	9000		83250	9.250
Or finished goods inventory				
-Ending work in process				
Materials	3000	9000		3.000
Labor	1000	3750		3.750
Factory overhead	1000	2500	15250	2.500
Total costs accounted for			98500	

# Second: department 2

# production quantities schedule

#### for January

Inputs:				
Units received from department 1				
total	9000			
Outputs:				
Units transferred to finished goods inventory	7000			
Ending units in process (50%)	2000			
total	9000			

# Equivalent production schedule

	No. Transferred in costs		n costs	Direct labor		Factory overhead	
Description/items	of	Stage of	Equivalent	Stage of	Equivalent	Stage of	Equivalent

	units	completion	units	completion	units	completion	units
-Units completed	7000	100%	7000	100%	7000	100%	7000
and transferred							
out							
-Ending units in	2000	100%	2000	50%	1000	50%	1000
process							
Total Equivalent			9000		8000		8000
units							

# Cost of production report

	Equivalent	Total costs		
description	production	Sub total	total	Unit cost
-Costs from preceding				
department transferred in	9000		83250	9.250
- costs added by the				
department				
Direct labor	8000		24000	3.000
Factory overhead	8000		16000	2.000
Total costs to account for			123250	14.250
- costs of production outputs				
-Transferred to finished				
goods inventory	7000		99750	14.250
-Ending work in process				
Costs from preceding				
department	2000	18500		9.250
Labor	1000	3000		3.000
Factory overhead	1000	2000		2.000
			23500	
Total costs accounted for			123500	

# 2-journal entries

By work in process inventory dep.1	36000	
------------------------------------	-------	--

To material inventory		36000
By sundries		
Work in process inventory dep.1	37500	
Work in process inventory dep.2	24000	
To payroll payable		61500
By sundries		
Work in process inventory dep.1	25000	
Work in process inventory dep.2	16000	
To applied factory overhead		41000
By Work in process inventory dep.2	83250	
To Work in process inventory dep.1		83250
By finished goods inventory a/c	99750	
To Work in process inventory dep.2		99750

# 3- Work in process inventory account

# Work in process inventory dep. 1 a/c

		By work in process inventory dep.2	83250
To material inventory To payroll payable To applied factory overhead	36000 37500 25000	By ending work in process	15250
	98500		98500

Work in process inventory account dep. 2 a/c						
To costs from preceding		By finished good	99750			
department (transferred in costs)	83250	inventory				
To payroll payable	24000	By ending work in	23500			
		process				
To applied factory overhead	16000					
	123250		123250			

- -Notes on the solution of the previous example:
- 1- The units of production that still in process have been restated on the basis of the completion levels to the equivalent of completed units in the equivalent report.
- 2-The cost of production report contains two parts: The first part: shows the total costs of production, and shows the unit cost of each component of the costs. The second part: shows how to distribute the total production costs to the completed units transferred to the next department and the units still in process.
- 3-The equivalent report for to the department following the first one includes additional item for the cost from

preceding department (transferred in cost), and it also appear in cost of production report.

- 4- In the previous example, we assumed the following:
- A There is no effect of the material on the number of units produced.
- B The absence of beginning work in process inventory in each of the two departments.
- C The absence of any kind of damage or spoilage in each of the two departments.

# 3-4 Accounting treatment for the use of the material component

We mentioned above that the completion level of incomplete units is not the same for all cost elements, unless we assume that all cost elements, including direct materials, are incurred evenly through processing. But if this assumption is correct with regard to conversion costs (labor + factory overhead), the direct materials component may differ. As we also mentioned that in many cases the addition of the material during operation leads to a change in the number of units.

Accordingly, the use of the material in the production raises two basic problems, the first relates to the relationship of that element to the completion level, while the second concerns its relation to the number of units being produced.

In this section, we discuss these two problems and how the process costing system addresses them:

First: the relationship of the material component to the completion level.

In some industries, direct materials may be added at the beginning of the department, thus making the units in processing - whatever the completion level in relation to the

conversion costs - have completion level of 100% for the material component.

In some other industries, materials may be added at the end of the stage, so that the units under processing do not receive any materials as long as they have not yet reached the completion level of 100% in which the materials are added, so its completion level for the materials component is "zero". In other industries, materials may be added at a certain completion level, such as 50%, for example. In this case, the benefit of units in process from the materials component is determined as follows:


A- If the completion level of the units in processing at the end of the period has not yet reached the completion level at which the materials are added, the units in process do not receive any materials - that is, the level of their

completion with respect to the materials component is "zero".

B- If the completion level of the units at the end of the period has reached the completion level at which materials are added - or exceeded - then these units received their full share of direct materials, i.e. their completion level for the materials component is (100%)

### Example 2:

Production is carried out in one of the factories in two stages, and the following are the production and cost data for January: Department Department В Units: Units started in process 25000 Units received from the preceding 15000 department 10000 Units transferred to finished inventory 10000 Ending units in process 5000 25000



- 1- The completion level of the units still in process is 50% and 60%, for the two departments, respectively.
- 2- The adding of materials in the second department does not result in an increase in the number of units produced.

# Required

- 1- Prepare quantity schedule and costs of production report for each of the two departments for January.
- 3- Prepare the work in process inventory account for each of the two departments.

#### Production quantities schedule dep. A

T .	
Inputs:	
Units started in process	25000
total	25000
Outputs:	
Units transferred to the department B	15000
Ending units in process (50%)	10000
total	25000

Equivalent production schedule

Department A

	Department A						
	No.	Direct r	naterial	Direct labor		Factory overhead	
Description/ite		Stage of completion	Equivalent units	Stage of completion	Equivalent units	Stage of completion	Equivalent units
-Units comple	eted						
and transferred	d to 15000	100%	15000	100%	15000	100%	15000
dep. B							
-Ending units	in 10000	100%	10000	50%	5000	50%	5000
process							
Total Equiva	lent		25000		20000		20000
units							

cost of production report department A						
	Equivalen	Tot	al costs			
description	t	Sub total	total	Unit cost		
	productio					
	n					
First: costs added by the						
department						
Direct material	25000		25000	1.0		
Direct labor	20000		10000	0.5		
Factory overhead	20000		10000	0.5		
,						
Total costs to account for			45000	2.0		
Second: costs of						
production outputs						
-Transferred to the next	15000		30000	2		
dep.						
-Ending work in process	10000	10000		1		
Materials	5000	2500		0.5		
Labor	5000	2500	15000	0.5		
Factory overhead	2 3 0 0		22 300			
1						
Total costs accounted for			45000			

#### Work in process inventory dep. A a/c

To material inventory	25000	By work in process inventory	30000
		dep. B	
To payroll payable	10000		
To applied factory overhead	10000	By ending work in process	15000
	45000		45000

#### production quantities schedule

#### for department B

Inputs:	
Units received from department A	15000
total	15000
Outputs:	
Units transferred to finished goods inventory	10000
Ending units in process (60%)	5000
total	15000

#### Equivalent production schedule

#### Department B

Description/items	Transferred in costs	Direct materials		Direct labor	Factory overhead
		X	Z		
-Units completed and transferred to finished goods	10000	10000	10000	10000	10000
-Ending units in process(60%)  Total Equivalent units	5000 15000	5000 15000	10000	3000 13000	3000 13000

# Cost of production report dep. B

description	Equivalent production	Total	costs	Unit cost	
-Costs from preceding department transferred in - costs added by the	15000		30000		2.0
department Direct material: X Z	15000 10000	18750 7500	26250	1.25 0.75	2.0
Direct labor Factory overhead	13000 13000		3900 3600		0.3 0.2
Total costs to account for			62750		4.5
costs of production outputs: -Transferred to finished goods inventory -Ending work in process Costs from preceding	10000		45000		4.5
department	5000	10000			2.0
X material	5000 3000	6250 900			1.25
Labor Factory overhead	3000	<u>600</u>	17750		0.3
Total costs accounted for			62750		

#### Work in process inventory account dep. B a/c

To costs from preceding department		By finished good	45000
(transferred in costs)	30000	inventory	
To material inventory(X&Z)	26250		
To payroll payable	3900	By ending work in	17750
		process	
To applied factory overhead	2600		
	62750		62750

# Second: The relationship of between materials element and the number of units produced

Production in some industries may start using materials at the beginning of the production process, i.e. materials added at the first department, and the work of the following departments is limited to adding conversion costs. In other industries, the nature of production may require adding new materials at department following the first department, and this result in one of two cases:

- The number of units remains the same without an increase, if the addition was a part to be assembled on the product, or it was a coating material added to the product in the finishing stage. In this case, the addition of new materials results in an increase in the unit cost and not an increase in the number of units produced.

The addition of materials may result in an increase in the number of units produced. In the chemical industries, for example, a liquid may be added to a particular chemical mixture: The addition of the liquid results in an increase in the units' weight. In this case, an adjustment occurs in the unit cost received from a previous stage, as shown by the following example:

#### Example 3:

Production in one of the factories goes through two stages, and the following is the data extracted from the factory's books during the month of February for the second stage:

- 1- The units received from the previous stage are 30,000 units, and the unit cost is 2500.
- 2- 45,000 units were completed and transferred to finished goods inventory.

- 3- 15000 units remain in process at the end of the month with 80% completion level.
- 4- The costs of the stage during the month were as follows

material A added at 10% completion level	45000
material B added at 85% completion level	22500
Direct labor	28500
Factory overhead applied	14250

If you know that adding the material A will result in an increase in the number of units produced to double.

# Required

- -Prepare the cost of production report.
- -Prepare the work in process inventory account.

# production quantities schedule for the department

Inputs:	
Units received from preceding department	30000
The increase resulting from adding A material	30000
total	60000
Outputs:	
Units transferred to finished goods inventory	45000
Ending units in process (60%)	15000
total	60000

# Equivalent production schedule

	Transferred	Direct		Direct	Factory
Description/items	in costs	materials		labor	overhead
		A	В		
		10%	85%		
-Units completed					
and transferred to	45000	45000	45000	45000	45000
finished goods					
-Ending units in					
process (80%)	15000	15000		12000	12000
Total Equivalent	60000	60000	45000	57000	57000
units					

# Cost of production report

description	Equivalent production	Total	costs	Unit cost
-Costs from preceding department transferred in - costs added by the department Direct material:	60000		75000	1.250
B B	60000 45000	45000 22500	67500	0.750 0.500
Direct labor Factory overhead	57000 57000		28500 14250	0.500 0.250
Total costs to account for			185250	3.250
costs of production outputs: -Transferred to finished goods inventory -Ending work in process Costs from preceding department	45000 15000	18750	146250	3.250
A material Labor Factory overhead	15000 15000 12000 12000	18750 11250 6000 3000	39000	0.750 0.500 0.250
Total costs accounted for			185250	

#### work in process inventory account a/c

inventory
By ending work in 39000
process
185250

# 3-5 Accounting treatment for production in process at the beginning of the period (beg. Work in process)

In the previous sections, we assumed that there were no units in process at the beginning of the accounting period in order to facilitate the presentation of the main lines of the cost flow and accounting for them using the process costing system. In this part, we will discuss how to deal with beginning work in process and its impact on the average unit cost.

The accounting methods for treating the cost of beginning work in process are:

1-Weighted average costing

## 2-First in, first out costing

The weighted average costing method is based on the assumption that the beginning works in process units completely lose their identity during processing, therefore, its

costs from the previous period (separated to its components of materials, labor, factory overhead and transferred in costs) are merged with the costs added in the department for the current period, treated as if it were a current period cost.

In order to arrive at the weighted average unit cost, the cost of beginning work in process inventory are added to the period's current costs, and this total is divided by equivalent production. Without distinguishing between the units that were in the department at the beginning of the period and the new units that started processing in the department during the current period. Units in process at the beginning of the period are treated as they had been started and completed during the current period, regardless of the completion level of beginning work in process.

Thus, finished units transferred to a later department or transferred to finished goods inventory are evaluated according to one weighted average unit cost.

While the first in first out costing method, it relies on the assumption that the beginning work in process units are independent and separated units, and have independent cost consisting of:

- Its share of the department costs from the previous period,
   (the balance of the work in process at department in the beginning of the current period).
- Its share of the department costs for the current period, i.e. what these units receive from the added costs in the department until they are completed and transferred to the next department or to the finished goods inventory.

The new units whose production start during the current period, their cost is calculated as completely independent units. When transferring the costs or units to the next department or to the finished goods inventory, it is assumed that the units of the beginning work in process inventory of the period have been completed first and transferred to the next department. In other words, any units that remain in process at the end of the period (provided that they are equal to or less than the number of new units that started processing during the period) are assumed to be of the new units put into production during the period (whose production begins in the current period).

Thus, the unit cost may vary for the production transferred to the next department, according to whether it is from the beginning work in process units or from the new production units that put into production during the current period. The following example shows how to account for production costs, assuming that there are units in process at the beginning of the period.

## Example 4:

The following data is extracted from the cost records in one of the economic units for the second phase during the month of June

## Production data:

- 1- Units in process on the first of June 10,000 units.
- 2- The department received 76,000 new units during the month from the previous department.
- 3- 60,000 units were completed, moved to the next department, and 26,000 units still in processing received 100% of materials, 50% form direct labor and factory overhead.

Costs data:
1- Beginning work in process
-Cost from preceding department 0.400 per unit.
-direct material \$ 1000.
-direct labor \$ 1000.
-factory overhead \$ 500.
2- New inputs (units started in process)
-Cost from preceding department 0.400 per unit.
-direct material \$ 7600.
-direct labor \$ 13600.
-factory overhead \$ 6800.
Note that the added raw materials do not lead to an increase in the number of units.

## Required:

1-Prepare the cost of production report and work in process inventory account using weighted average costing method.

# production quantities schedule for the department

Inputs:	
Beg. Work in process	10000
Units received from preceding department	76000
total	86000
Outputs:	
Units transferred to next department	60000
Ending units in process (50%)	26000
total	86000

#### Equivalent production schedule

Description/items	Transferred in costs	Direct materials	Direct labor	Factory overhead
-Units completed and transferred to finished goods	60000	60000	60000	60000
-Ending units in process (50%)	26000	26000	13000	13000
Total Equivalent units	86000	86000	73000	73000

## Cost of production report

	Equivalent	Total	costs	Unit
description	production			cost
Costs of production elements:				
Costs from preceding department:				
Beg. WIP		4000		
Transferred in during the period	86000	30400	34400	0.400
-costs added by the department	80000	30400	34400	0.400
Direct material:				
Beg. WIP		1000		
Added during the period	86000	<u>7600</u>	8600	0.100
Direct labor:		1000		
Beg. WIP		1000 13600	14600	0.200
Added during the period	73000	13000	14000	0.200
Factory overhead:	75000	500		
Beg. WIP	73000	<u>6800</u>	7300	0.100
Added during the period	_			
Total costs to account for			64900	0.800
costs of production outputs:	60000		40000	0.000
-Transferred to next dep.	60000		48000	0.800
-Ending work in process:				
Costs from preceding department	26000	10400		0.400
material	26000	2600		0.100
Labor	13000	2600		0.200
Factory overhead	13000	<u>1300</u>	16900	0.100
T . 1			C4000	
Total costs accounted for			64900	

Work in proc	cess invento	ry account a/c	
To beginning balance	6500	By work in process	48000
To costs from preceding		dep.3	
department (transferred in costs)	30400		
To material inventory	7600		
To payroll payable	13600	By ending work in	16900
		process	
To applied factory overhead	6800		
	64900		64900

## **Appling First in first out costing method**

It is clear from the solution of the previous example on the basis of the weighted average cost method that this method assumes that all units produced in the department during the period are completely homogeneous units. There is no difference between the existing units at the beginning of the period and the new units that started processing during the period, and that the weighted average unit cost is a fair measure of the unit cost.

As for the first in first out costing method, assumes that the units in process at the beginning of the period have an independent identity, and therefore we must first calculate that part of the period costs that is needed to convert these units into complete units. Then we calculate the cost of the new units that started processing in the department.

This method leads, of course, to use of two different numbers for the unit cost of the units in process at the beginning of the period (after its completion), and the other represents the unit cost of the new units. While the weighted average costing method gives us a single number for the unit cost of department production.

Since the elements of the department costs - in the case of units in process at the beginning of the period - are represented in:

1- The cost of the units in process at the beginning of the period

## 2- The costs added during the current period

The costs added during the period will be used to complete the incomplete part of the units in process at the beginning of the period and then to process the new units. Therefore, the department equivalent production is calculated as follows:

-Units completed and transferred:

1-The units in process at the beginning of the period that will receive a share of the added costs to be converted into completed units is calculated by multiplying the number of units by the percent to complete.

2-The units started and completed during the same period treated the same way as weighted average costing method.

The equivalent is calculated by multiplying the number of units by the percent of complete

-Ending work in process inventory: ending unit in process multiplied by the percent of completion.

## Example 5:

Using the same data in example No. (4) And by assuming that the units in process at the beginning of June, complete

for materials, 60% form other costs. Prepare the cost of production report and work in process inventory account using first in first out costing method.

production quantities schedule	
for the department	
Inputs:	10000
Beg. Work in process units	10000
Units received from preceding department	76000
total	86000
Outputs:	
Units transferred to next department 60000	
-completed units from beg, WIP	10000
-completed units from new units	50000
Ending units in process (50%)	26000
total	86000

#### Equivalent production schedule

Description/items	Transferred in costs	Direct materials	Direct labor	Factory overhead
Units completed and transferred out: -Beginning units in process Unit started and			4000	4000
completed Total Ending units in process (50%)	50000 50000 26000	50000 50000 26000	50000 54000 13000	50000 54000 13000
Total Equivalent units	76000	76000	67000	67000

Cost of production report				
description	Equivalent production	Total costs		Unit cost
Costs of production elements: Costs from preceding department and prior period: -costs added during the period: Transferred in cost Direct material Direct labor Factory overhead	76000 76000 67000 67000	30400 7600 13600 6800	6500 58400	0.400 0.1000 0.2030 0.1015
Total costs to account for			64900	0.8045
costs of production outputs: Transferred to next dep.: From beginning inventory -Costs from preceding department and prior period -direct labor -direct material From the current production	4000 4000 50000	6500 810 <u>406</u>	7716 40225	0.2030 0.1015
•	50000		40225	0.8045
-Ending work in process: Costs from preceding department material Labor Factory overhead	26000 26000 13000 13000	10400 2600 2639 1320	16959	0.4000 0.1000 0.2030 0.1015
Total costs accounted for			64900	

Work in proc	cess invento	ry account a/c	
To beginning balance	6500	By work in process	7716
To costs from preceding		dep.3	
department (transferred in costs)	30400	By work in process	40225
To material inventory	7600	dep.3	
To payroll payable	13600	By ending work in	16959
		process	
To applied factory overhead	6800		
	64900		64900

Comparison between weighted average costing method and the first in first out costing method

1-The first in first out costing method treats the units in the beginning of the period as independent, whose total cost, after its completion, differs from the cost of new units that started processing and completed in the department during the same period. Therefore, the unit cost of the units of the beginning of the period after its completion differs from the unit cost of the new units. While the weighted average costing method assumes that there are no differences

between the two types and calculates one weighted average unit cost for the two types.

2- In the weighted average costing method, we are interested in knowing the details of the units in process costs at the beginning of the period according to its components, in order to add the materials, labor and factory overhead of the units in process at the beginning of the period with those the costs of the department. And by dividing the total costs of each component by the equivalent production quantity, we get the unit cost.

As for the first in first out costing method, we are concerned only with the total previous cost of the units at the beginning of the period, and by adding what they have obtained from the cost added during the period that necessary to complete them, we will get an independent cost figure for these units. 3- In the weighted average costing method, we are not interested in knowing the completion level of the units in process at the beginning of the period. They are not treated as distinct and independent units, but rather their identity disappears with the new units, and the opposite is true in the first in first out costing method.

## 3-6 Accounting treatment for spoiled units

The terms "spoiled units" and "defective" may be used to mean one thing, but in fact they mean two different things. Spoiled production usually means that loss in raw materials that result due to the nature of the production process. It is unavoidable and it is possible to sold for small salvage value or discarded.

An example is the shortage of raw materials resulting from evaporation or shrinkage due to exposure of the raw material to high or low temperatures, as in the manufacture of medicines, aromatic scents and chemical products, or volatilization or leftover parts of raw materials such as scraps and sawdust in the manufacture of paper, glass and the turning of metals, wood, cotton and leather products.

As for the defective production, it means those units that are damaged during the production process at one of the stages and are rejected by the examiners. Such units usually have a certain salvage value, either represented by what they contain of raw material that can be returned to the inventory and start operating on them again. or represented by what these units can be sold for as a "seconds or irregulars", and in this case, their selling value is - no doubt - less than the sales value of the good products. Examiners may reject some units at one stage because of production damage, and the matter needs to be returned to a previous stage or repaired at the same stage.

In this case, additional costs may be charged that may return the defective units to a good level of production standard.

In view of the economic unit loss caused by spoiled or defective production, there must be sufficient interest to impose adequate control over production to reduce this loss and bring it to a minimum. Specialists in each industry determine a certain percentage of spoilage or defective that is according to permissible industrial normal the or circumstance and the nature of production.

If the spoiled or defective units exceed the permissible percentages, it becomes necessary to study the reasons that led to the occurrence of abnormal spoilage or damage, determine the responsibility for its occurrence, and take corrective actions.

The imposition of production control requires that there be an organized examination of the produced units to discover the damaged units and the issuance of periodic reports at the appropriate dates so that the specialists can take the necessary measures to correct the abnormal conditions in a timely manner. It is necessary to determine the cause of the damage, and is it a defect in the raw material, or due to the negligence of the competent worker, or a defect in the machinery?

The cost accounting system plays an important role in imposing control over production costs and accounting for damage and loss by designing appropriate reports to determine responsibility, follow-up performance evaluation and correct errors.

# Accounting treatment for abnormal spoiled or defective production

Spoiled or defective units that exceed the permissible percentages represent an actual loss resulting from reasons

that could have been avoided. Therefore, it is preferable to appear in the cost accounts in a clear and distinct way to draw the attention of management to them and to the need to address their causes by increasing training or supervising workers or maintaining machines, or reorganization of the production inspection method.

Abnormal spoiled/defective units are treated as part of the stage production, and the cost elements are distributed to them on the basis of their completion level. As the case with the good and complete units and the units in process at the end of the period, whether they have a salvage value or not.

The cost of Abnormal spoiled/defective units is recorded in a separate account that debited by the cost, and work in process inventory account of the department is credit. The loss of Abnormal spoiled/defective units depends on whether these units have a sale or salvage value or not. If the Abnormal

spoiled/defective units have a sale or salvage value, the difference between the cost of production of the damaged one and its selling or salvage value shall be considered a loss to be carried to the profit and loss account. But if the damaged production has no salvage value, its total cost is considered a loss to be carried to the profit and loss account.

Accounting treatment for normal spoiled or defective production:

The accounting treatment for the cost of normal spoiled or defective units aims to determine the actual cost of finished production and production in process, as well as to attempt to impose control over spoiled or defective units.

If there is a certain percentage of spoilage or defect must occur in the normal production circumstance, therefore, the proper accounting treatment requires considering the loss of these damaged units as part of the good units cost. This is for the following reasons:

- 1- Good units cannot be completed without this loss, which is part of the production process nature.
- 2- Normal spoiled or defective units cannot be controlled in their quantity or value and must occur period after period, so it is an element of stage outputs.

The accounting treatment for Normal spoiled or defective units varies according to whether it has a salvage value on one hand, and the completion level at which the inspection is carried out on the other hand, as shown in the following:

First: There is no salvage value for Normal spoiled or defective units

A- It may be the firm's policy to check the units at the end of processing, and this means that the units in process will

not pass through the inspection centers. So, the units in process at the end of the period do not charge with any share of the spoiled or defective units cost in the current period, but this loss is distributed to the completed units and the abnormal spoiled or defective units only, Because the units in process at the end of the period will get their share of the cost of spoiled or defective units in the period in which they are 100% complete.

To determine the production unit cost, we trace the following steps

- 1- Normal spoiled or defective units are included in the equivalent production schedule, like completed units, units in process, and abnormal spoiled or defective units.
- 2- The production costs are divided by the equivalent production (including normal spoiled or defective units)

to calculate the total unit cost and the unit cost for each cost component.

- 3- Calculate the cost of normal spoiled or defective units (the number of normal spoiled or defective units multiplied by the unit cost).
- 4- The cost of normal spoiled or defective units is redistributed to the completed units and abnormal spoiled or defective units only. This method of dealing with normal spoilage or defect is called (distribution method).

## Example 6:

The production passes in one of the factories through two departments. Once the units from the first department reach the second department, new materials are added, resulting in an increase in the number of units by one third.

The following is the data for the second department for the month of January:

- of which is as follows: transferred in cost \$ 10800, direct materials \$ 207, direct labor \$ 930, factory overhead \$ 548.
- 30,000 units received from the first department, the unit cost \$ 2,400.
- costs added during the period, Direct materials \$ 1863, direct labor \$ 8100, indirect expenses \$ 4870.
- 5000 units in process at the end of the period, at 40% completion level.
- 1000 spoiled units, of which 600 are within the permissible limits. note that the inspection is carried out at the end of the stage.

# Required: Preparing a production cost report?

# production quantities schedule for the department

Inputs:	
Beg. Work in process units	6000
Units received from preceding department	30000
Units added to production(30000*1/3)	10000
total	46000
Outputs:	
Units transferred to finished goods inventory	40000
normal spoiled units	600
abnormal spoiled units	400
Ending units in process (40%)	5000
total	46000

## Equivalent production schedule

Description/items	Transferred in costs	Direct materials	Direct labor	Factory overhead
-Units completed and				
transferred to finished	40000	40000	40000	40000
goods				
-Normal spoiled units	600	600	600	600
-Abnormal spoiled				
units	400	400	400	400
-Ending units in				
process (40%)	5000	5000	2000	2000
Total Equivalent units	46000	46000	43000	43000

Cost of production report				
description	Equivalent production	Total costs		Unit
Costs of production				
elements: Costs from preceding				
department:				
Beg. WIP Transferred in during the	46000	10800 72000	82800	1.800
period	40000	<u>72000</u>	82800	1.800
-costs added by the				
department Direct material:				
Beg. WIP		207		
Added during the period	46000	<u>1863</u>	2070	0.045
Direct labor: Beg. WIP		930		
Added during the period	43000	8100	9030	0.210
Factory overhead:		7.10		
Beg. WIP Added during the period	43000	548 4870	5418	0.126
Total costs to account for	_13000	1070	99318	2.181
costs of production outputs:				
-Transferred to finished				
goods. Completed units				
+ its share of normal	40000	87240		2.181
spoiled units cost		1295		0.0324
			88535	
-abnormal spoiled units				
cost	400	072		0.101
+its share of normal spoiled units cost	400	873 13		2.181 0.0324
•			886	
-Ending work in process: Costs from preceding				
department	5000	9000		1.800
material	5000	325		0.045
Labor Factory overhead	2000	420 252	9897	0.2100 1.1260
Total costs accounted for	2000	<u>232</u>	99318	1.1200

As will as, if the production inspection process is carried out at a certain level of completion level, and the ending units in process were at completion level less than the completion level at which the inspection is carried out, In dealing with the permissible loss of spoilage, we follow the steps that were followed in the previous case. That is, the normal spoiled/defective units are taken into account when preparing the equivalent production report (it is noted here that they enter the equivalent production report on the basis of their completion level, which is the level of completion at which the inspection is performed)

The abnormal spoiled/defective units are also included in the equivalent production report on the basis of the same level of completion, then the total unit cost and the cost of normal spoiled/defective units is calculated, Then allocate the cost of abnormal spoiled/defective units to

- 1- Completed units.
- 2- Abnormal spoiled/defective completed units because they have reached the level of completion at which the inspection is performed.
- 3- Units in process that have reached the level of completion at which the inspection is performed.
- B- But if all units are in process at the level of completion at which the inspection is carried out or exceeded, or if the inspection is carried out at the beginning of the stage or it is carried out gradually, i.e. continuously during process, the calculation of the normal spoiled units in the equivalent production report is neglected. The production of the stage is charged with its costs implicitly by directly inflating the unit cost by its share of normal spoiled/defective units cost. This not only affects the unit's share of the stage's costs, inflating it by the cost of the spoiled/defective units, but rather it

exceeds it to the costs received by the stage from the previous stage. If the loss or damage occurs in a stage following the first stage, the unit share of the received cost will be inflated also, because the number of units that charged with the received cost becomes less and this method is called (the inflation method)

## Example 7:

The following data is for the second department of an engineering commodity production during the month of April:

- 1- Received units: 40,000 units, unit cost \$ 3.
- 2 12000 units remain in processing at the end of the month with a 50% completion level.
- 3- 38,000 units were completed and transferred to the third department.

4- The rest of the units are considered as permissible spoilage and have no salvage value. This spoilage was discovered upon completion of the 40%.

## 5 – Department costs

Direct material (It is added at the 20% completion level and leads to an	
increase in the units produced by 50%.	40000
Direct labor	22000
Factory overhead	33000

Required: Prepare cost of production report and work in process inventory account?

production quantities schedule

for the department		
Inputs:		
Units received from preceding department		40000
Units added to production (40000*50%)		20000
total		60000
Outputs:		
Units transferred to next department		38000
Ending units in process (50%)		12000
normal spoiled units		10000
total		60000

## Equivalent production schedule

Description/items	Transferred in costs	Direct materials	Direct labor	Factory overhead
-Units completed and				
transferred to next				
department	38000	38000	38000	38000
-Ending units in				
process (50%)	12000	12000	6000	6000
Total Equivalent units	50000	50000	44000	44000

#### Cost of production report

	Equivalent	Total	costs	Unit
description	production			cost
description	1			Cost
Costs of production				
elements:				
Transferred in cost:	50000		120000	2.4
-costs added by the				
department	50000		40000	0.00
Direct material: Direct labor:	50000 44000		40000 22000	0.80
Factory overhead:	44000		33000	0.30
ractory overnead.	44000		33000	0.73
Total costs to account for			215000	4.45
costs of production outputs: -Transferred to finished	38000		169100	4.45
goods.	38000		109100	4.43
-Ending work in process:				
Costs from preceding				
department	12000	28800		2.40
material	12000	9600		0.80
Labor	6000	3000		0.50
Factory overhead	6000	<u>4500</u>		0.75
			45900	
Total costs accounted for			215000	
Total costs accounted for			213000	

Work in prod	cess invento	ry account a/c	
To costs from preceding		By work in process	
department (transferred in costs)	120000	dep.3	169100
To material inventory	40000	By ending work in	
To payroll payable	22000	process	45900
To applied factory overhead	33000		
	215000		215000

## Example 8:

The production in the first department of one of the industrial companies is exposed to normal percentage of spoilage equal 2 % of the production, and usually the damage occurs at the beginning of the industrial operations and the following is the data for the department:

#### Production data:

Sufficient raw materials were used can produce 10,000 units before calculating the spoilage, and 9,000 units were produced and sent to the second department and the rest after

calculating the prescribed percentage of the normal spoilage represented by units in process with a 50% completion level for labor and indirect costs.

## Costs data:

- \$ 4900 materials, \$ 2350 labor, \$ 1880 indirect costs.

Required	: Preparing	a cost c	of produ	ction r	eport	and
departme	nt work in proc	cess accou	nt?			
	Equip	alant muadwatic	on cabadula			
	Description/items	alent production  Direct  materials	Direct labor	Factory overhead		
	Units completed and transferred to next department	90000	9000	9000		
	Ending units in process (50%)	800	400	400		
	Total Equivalent units	9800	9400	9400		

## Cost of production report

description	Equivalent production	Total costs		Unit cost
Costs of production				
elements: -costs added during the period: Direct material Direct labor Factory overhead	9800 9400 9400		4900 2350 1880	0.50 0.25 0.20
Total costs to account for  costs of production outputs: Transferred to next dep.: -Ending work in process: material Labor Factory overhead  Total costs accounted for	9000 800 400 400	400 100 <u>80</u>	9130 8550 580	0.95 0.95 0.50 0.25 0.20

## Work in process inventory account a/c

To material inventory	4900	By work in process	8550
To payroll payable	2350	dep.2	
To applied factory overhead	1880	By ending work in process	580
		process	
	9130		9130

# Example 9:

If we assume that the second department received from the first department 10,000 units at a total cost of \$ 26,125, and that the production of the second department is summarized as follows:

completed units transferred to the third department	7000
Units in process(100% material and 80% conversion costs)	2000
Spoiled units	1000
The costs of the second department for this period	
Materials( Adding them does not result in an increase in the	14250
number of units)	
labor	10620
Factory overhead	8850

Additional information:

- 1- Normal spoilage percentage is 5%
- 2- The inspection is done continuously during processing

Required: prepare the cost of production report?

# production quantities schedule for the department

Inputs:	
Units received from the first department	10000
total	10000
Outputs:	
Units transferred to next department	70000
Abnormal spoiled units	500
Normal spoiled units (10000*5%)	500
Ending units in process (80%)	2000
total	10000

#### Equivalent production schedule

Description/items	Transferred in costs	Direct materials	Direct labor	Factory overhead
Units completed				
and transferred to				
third dep.:	7000	7000	7000	7000
Normal spoiled			250	250
units: 50%*	500	500	250	250
Ending units in				
process (80%):	2000	2000	1600	1600
Total Equivalent units	9500	9500	8850	8850

\*We assumed that the level of completion of abnormal spoiled units is 50% (conversion) in the case of the continuous inspection, i.e. evenly through processing, as arithmetic mean for the various continuous inspection points during processing.

#### Cost of production report

Equivalent Total costs

description	production	Sub total	total	Unit cost
First: cost of production				
elements				
-Transferred in cost	9500		26125	2.750
-costs added by the				
department				
Direct material	9500		14250	1.500
Direct labor	8850		10620	1.200
Factory overhead	8850		8850	1.000
Total costs to account for			59845	6.450
Second: costs of				
production outputs				
-Transferred to the next	7000		45150	6.450
dep.	7000		43130	0.430
ucp.				
-abnormal spoiled units				
Transferred in	500	1375		2.750
Materials	500	750		1.500
Labor	250	300		1.200
Factory overhead	250	<u>250</u>	2675	1.000
-Ending work in process				
Transferred in	2000	5500		2.75
Materials	2000	3000		1.500
Labor	1600	1920		1.200
Factory overhead	1600	<u>1600</u>	12020	1.000
Total costs accounted for			59845	

Example 10:

The second and final stage in one of the factories uses three types of materials. The material A is added at the beginning of the stage and results in an increase in the number of units by one third, material B is added at the 60% completion level. Material C is added at the end of the stage, and the addition of materials B and C do not result in an increase in the number of units.

The following is data of production and costs for the month of August:

- 1- 5000 units in process at the beginning of the period, 40% completion level, and its total cost is \$ 16,520.
- 2- 30,000 units received from the first stage, the cost per unit \$ 2280.

- 3-6000 units under operation at the end of the period, half of them reached 70% completion level and the other half reached 30% completion level.
- 4-Completed units sent to finished goods inventory 35,000 units.

# 5-Costs for this period

-Materials				
Material A 9500 kilo	\$ 2 per kilo			
Material B 38000Kilo	\$ 0.500 per kilo			
Material C 0.800 Kilo	\$ 0.800 per Kilo			
-Conversion costs \$ 40700				
6-additional information				
-Normal spoiled units percentage 5%				

- Abnormal spoiled units completion level is 50% in relation to the conversions costs.
- -Inspection is done continuously during the process.
- -Units in work in process inventory at beginning of the period were processed without any spoilage.

# Required:

Prepare cost of production report and work in process inventory account?

production quantities schedule	
Inputs:	
1-Beg. Work in process units	5000
2-Units received from the preceding department	30000
3-units add to production	
(Increasing in the number of units by adding the material A)	10000
total	45000
Outputs:	
1-Units transferred to finished goods inventory	
Completed From beg work in process units	5000
Completed during the period	30000
2-Ending units in process	
70% complete	3000
30%complete	3000
3-abnormal spoiled units 50%	2000
4-normal spoiled units (continuously)	2000
total	45000

# Equivalent production schedule

	Transferre	Transferre Direct materials Conversi			Conversion
Description/items	d in costs	A	В	С	costs
Units completed					
and transferred to					
finished goods:					
-Beginning units in					
process (5000units			5000	5000	3000
40%)					
-units started and					
completed(30000un	30000	30000	30000	30000	30000
its)					
Abnormal spoiled					
units	2000	2000			1000
Ending units in					
process					
-70% complete	3000	3000	3000		2100
-30% complete	3000	3000			900
Total Equivalent					
units	38000	38000	38000	35000	37000

<b>a</b>			
Cost of	nrodi	iction.	report
COSt OI	prout	1011	report

description	Equivalent production	Total	costs	Unit
description	1	Sub total	Total	Cost
Costs of production elements: Costs from preceding department and prior period:			16520	
-costs added during the period: Transferred in cost Material A Material B Material C Conversion costs	38000 38000 38000 35000 37000	68400 19000 19000 28000 40700	175100	1.800 0.500 0.500 0.500 0.800 1.100
Total costs to account for			191620	4.700
costs of production outputs: 1-Transferred to next dep.: From beginning inventory -inventory cost - Material B -Material C -Conversion costs	5000 5000 3000	2500 4000 3300	16520 9800	0.500 0.800 1.100
From the current production	30000		141000	4.700
2-Abnormal spoiled units Transferred in cost Material A Conversion costs	2000 2000 1000	3600 1000 <u>1100</u>	5700	1.800 0.500 1.100
3-Ending work in process: -70% complete Transferred in cost Material A Material B Conversion costs -30% complete Transferred in cost Material A Conversion costs	3000 3000 3000 2100 3000 3000 900	5400 1500 1500 2310 5400 1500 990	10710 7890 191620	1.800 0.500 0.500 1.100 1.800 0.500 1.100

Work in process inventory account dep. 2 a/c					
To beginning balance	15520	By finished goods			
To work in process dep.1	68400	inventory	167320		
To material inventory	66000	By spoiled units	5700		
Material A 19000		inventory			
Material B 19000		By ending work in	18600		
Material C 28000		process			
To conversion costs	40700				
	191620		191620		

Second: There is a salvage value for normal spoiled or defective units:

In the previous examples, we assumed that the normal spoiled or defective units have no salvage value, and thus their share of the stage costs was charged to the good and abnormal spoiled or defective units. But the damaged units may have a salvage value by selling them at the level they reached or repairing them by reprocessing them at the same stage in which they discovered or in stages prior to the stage

in which they was discovered, and we will discuss below these cases

1- There is a salvage value for the normal spoiled or defective units by selling them

The normal spoiled or defective units may have a salvage value by selling them, and in this case the loss of the spoiled or defective production is the difference between the share of the normal spoiled or defective units in the stage costs and the salvage value (the selling value).

A- If the completion level of the ending units in process or some of it is less than the level reached by the normal spoiled or defective production (the inspection level), then the normal spoiled or defective units are taken into account when preparing the equivalent production schedule (the level of their completion, is the completion level at which the inspection takes place). Then calculate the total unit cost of

the production, and calculate the cost of the normal spoiled or defective units, finally the normal spoiled or defective units loss is distributed over the different production outputs that have reached or exceeded the completion level at which the inspection is performed.

# Example 11:

The first department started in one of the industrial companies with the production of 2,500, of which 2,000 units were transferred to the second department, and 100 units considered normal spoilage, and 400 units were still in process, complete with materials and 25% with regard to the conversion costs, and the elements of production costs were as follows:

Materials \$ 7500

Labor \$ 4300

# Factory overhead \$4300

The selling value of the damaged units is estimated at \$ 150, and the inspection is carried out at 50% level of completion.

Required: prepare the cost of production report?

production quantities schedule  for the department		
Inputs:		
Units started in process	2500	
total	2500	
Outputs:		
Units transferred to next department	2000	
Normal spoiled units (50%)	100	
Ending units in process (25%)	400	
total	2500	

# Equivalent production schedule

Description/items	Direct	Direct	Factory
	materials	labor	overhead
-Units completed and transferred to next dep.: -Normal spoiled units (50%) - Ending units in process	2000	2000	2000
	100	50	50
	400	100	100
Total Equivalent units	2500	2150	2150

# Cost of production report

	Equivalent	Tot		
description	production	Sub total	total	Unit cost
First: costs added by the				
department				
Direct material	2500	7500		3.00
Direct labor	2150	4300		2.00
Factory overhead	2150	<u>4300</u>		2.00
			16100	
Total costs			16100	7.00
Second: costs of production				
outputs				
-Transferred to the next dep.	2000	14000		7.00
-Loss of normal spoiled units		<u>350</u>	14350	
-Ending work in process				
Materials	400	1200		3
Labor	100	200		2
Factory overhead	100	<u>200</u>		2
Selling value of normal			1600	
spoiled units			(150)	
Total costs			16100	

#### Note:

1- The loss of normal spoiled units has been determined as follows:

First: the cost of normal spoiled units = 100 \* 3 + 50 \* 2 + 50\*2 = \$500

Second: Loss of normal spoiled units = 500 - 150 = \$350

Loss from normal spoiled units has been charged to completed units only, because the ending in process units (25%) have not yet reached the level at which the inspection is carried out 50%.

B - If the level of the units in process at the end of the period is the level reached by the normal spoiled units (the inspection level) or exceeded, or the inspection is constantly being performed during the process, then all types of production outputs in the department charged with the

normal spoiled units loss (the share of the spoiled units from the stage costs after deducting its selling value) This is by neglecting the calculation of the normal spoiled units in the equivalent production schedule, while treating the sales value of the normal spoiled units as a reduction from the production cost in the stage (reducing each element of the costs with its share of the selling value of the normal spoiled units), which means at the same time charging the stage production with the loss of the normal spoiled units in an implicit manner (by way of inflation).

The following are taken into consideration:-

1-Since the previous procedure requires lengthy arithmetic operations to calculate the share of each component of costs from the sales value of the normal spoiled units, therefore, cost accountants prefer to treat the selling value of the normal spoiled units as a reduction of the indirect industrial

costs component at the stage in which the damage occurred, i.e. the selling value of normal spoiled units is subtracted from indirect industrial costs only in the first part of the cost of production report.

### Example 12:

The third stage in one of the economic units uses two types of direct materials:

- Material A is added at the beginning of the operation in the stage and its addition does not entail any increase in the number of units produced.
- Material B is added at the level of completion of 70% and leads to an increase in the number of units produced by 25%. So if you know that in the period from 1/1 to 31/12/2021:-
- 1- It was produced 9000 completed units transferred to finished goods inventory (of which 2000 units are in process

at the beginning of the period with a level of 50% completion). 2000 units in process with 50% completion level at the end of the period, 200 spoiled units were gradually discovered during process, and their selling value was estimated at \$ 300.

- 2- The inspectors decided to consider that half of the spoiled units were within the normal percentages.
- 3- The estimated selling value of the normal spoiled units is treated as a reduction of the indirect manufacturing costs.
- 4- The total costs of the units in process at the beginning of the period amounted to \$13,000.
- 5- Production costs during the period equal the following:
- -Transferred in costs from preceding department \$ 27300
- -Material A cost is \$ 18200

-Material B cost is \$ 18000

-Direct labor \$ 13575

-Factory overhead \$ 13725

Required: prepare the cost of production report?

production quantities schedule	
Inputs:	
total	11200
Outputs:	
1-Units transferred to finished goods inventory	
Completed From beg work in process units	2000
Completed during the period	7000
2-Ending units in process	2000
3- abnormal spoiled units (gradually)	100
4-normal spoiled units (gradually)	100
total	11200

# Equivalent production schedule

<b>5</b>	Transferred	Direct material Direct labor		Direct labor	Factory
Description/items	in costs	A	B 70%		overhead
Units completed					
and transferred to					
finished goods:					
-Beginning units in			2000	1000	1000
process (2000units					
50%)					
-units started and					
completed(7000unit	7000	7000	7000	7000	7000

Abnormal spoiled units	100	100		50	50
Ending units in process	2000	2000		1000	1000
Total Equivalent units	9100	9100	9000	9050	9050

### Cost of production report

description	Equivalent production	Total	costs	Unit cost
•		Sub total	Total	
Costs of production elements: Costs from preceding department and prior period:			13000	
-costs added during the period: Transferred in cost Material A Material B Direct labor Factory overhead Selling value for normal spoiled units	9100 9100 9000 9050 9050	27300 18200 18000 13575 13725 ( <u>150</u> )	90650	3.00 2.00 2.00 1.50 1.50

T-4-1		İ	102650	10
Total costs to account for			103650	10
costs of production				
outputs:				
1-Transferred to finished				
goods inventory.:				
From beginning				
inventory		42000		
-inventory cost		13000		
- Material B	2000	4000		2.0
-direct labor	1000	1500		1.5
-factory overhead	1000	<u>1500</u>		1.5
			20000	
From the current				
production	7000		70000	10
2-Abnormal spoiled units				
Transferred in cost	100	300		3.0
Material A	100	200		2.0
-direct labor	50	75		1.5
-factory overhead	50	<u>75</u>		1.5
			650	
3-Ending work in				
process:				
-Transferred in cost	2000	6000		3.0
-Material A	2000	4000		2.0
-direct labor	1000	1500		1.5
-factory overhead	1000	<u>1500</u>		1.5
			13000	
Total costs accounted for			103650	

2-Some may also prefer treating the sales value of the normal spoiled units as a reduction of the cost element of raw materials or any other cost element, according to the importance of this element. In the first part of the report.

# Example 13:

The third stage in one of the economic units uses two types of direct materials:

- Material A is added at the beginning of the operation in the stage and its addition does not entail any increase in the number of units produced.
- Material B is added at the level of completion of 70% and leads to an increase in the number of units produced by 25%. So if you know that in the period from 1/1 to 31/12/2021:-
- 1- It was produced 9000 completed units transferred to finished goods inventory (of which 2000 units are in process at the beginning of the period with a level of 50% completion). 2000 units in process with 50% completion level at the end of the period, 200 spoiled units were gradually discovered during process, and their selling value was estimated at \$260.

- 2- The inspectors decided to consider that half of the spoiled units were within the normal percentages.
- 3- The estimated selling value of the normal spoiled units is treated as a refund for the cost of the material B.
- 4- The total costs of the units in process at the beginning of the period amounted to \$13,000.
- 5- Production costs during the period equal the following:
- -Transferred in costs from preceding department \$ 27300
- -Material A cost is \$ 18330
- -Material B cost is \$ 18000
- -Direct labor \$ 13575
- -Factory overhead \$ 13575

Required: prepare the cost of production report?

Equivalent production schedule

	Transferred	Direct 1	material	Direct labor	Factory
Description/items	in costs	A	В 70%		overhead
Units completed and transferred to finished goods: -Beginning units in			2000	1000	1000
process (2000units 50%) -units started and completed(7000unit s)	7000	7000	7000	7000	7000
Abnormal spoiled units	100	100		50	50
Ending units in process	2000	2000		1000	1000
Total Equivalent units	9100	9100	9000	9050	9050

Cost of production report

description	Equivalent production	Total	costs	Unit cost
		Sub total	Total	
Costs of production elements: Costs from preceding department and prior period: -costs added during the period: Transferred in cost Material A (-)Selling value for normal spoiled units Material B Direct labor Factory overhead	9100 9100 9000 9050 9050	27300 18330 (130) 18000 13575 13575	13000 90650	3.00 2.00 2.00 1.50 1.5

Total costs to account for			103650	10
costs of production				
outputs:				
1-Transferred to finished				
goods inventory.				
From beginning				
inventory				
-inventory cost		13000		
- Material B	2000	4000		2.0
-direct labor	1000	1500		1.5
-factory overhead	1000	<u>1500</u>		1.5
			20000	
From the current				
production	7000		70000	10
2-Abnormal spoiled units	400	200		2.0
Transferred in cost	100	300		3.0
Material A	100	200		2.0
-direct labor	50	75		1.5
-factory overhead	50	<u>75</u>	650	1.5
3-Ending work in			630	
3-Ending work in process:				
-Transferred in cost	2000	6000		3.0
-Material A	2000	4000		2.0
-Material A -direct labor	1000	1500		1.5
-factory overhead	1000	1500	13000	1.5
ractory overhead	1000	1500	13000	1.3
Total costs accounted for			103620	
Total Costs accounted for			103020	

3- Also, some may prefer to treat the sales value of the normal spoiled units - especially if it is of little value as secondary or additional revenues that are closed in the profit and loss account created outside the scope of cost accounting. In this case, the normal spoiled costs shall be treated in the same way as the normal spoiled units that have no salvage value.

# Example 14:

The third stage in one of the economic units uses two types of direct materials:

- Material M is added at the beginning of the operation in the stage and its addition does not entail any increase in the number of units produced.
- Material N is added at the level of completion of 70% and leads to an increase in the number of units produced by 25%. So if you know that in the period from 1/1 to 31/12/2021:-
- 1- It was produced 9000 completed units transferred to finished goods inventory (of which 2000 units are in process at the beginning of the period). 2000 units in process with 50% completion level at the end of the period, 200 spoiled units were gradually discovered during process, and their selling value was estimated at \$ 300.

- 2- The inspectors decided to consider that half of the spoiled units were within the normal percentages.
- 3- The estimated selling value of the normal spoiled units is treated as miscellaneous revenue.
- 4- The total costs of the units in process at the beginning of the period amounted to \$13,000.
- 5- The cost of units in process at the beginning of period equal the following:
- -Transferred in costs from the second department \$ 6000
- -Material M cost \$ 4000
- -Conversion costs \$ 3000

The cost of production during the period was as follows:

- -Transferred in costs from the second department \$ 27300
- -Material M cost is \$ 18200

-Material N cost is \$ 18000

-Conversion costs \$ 27150

Required: prepare the cost of production report?

# Equivalent production report

	Transferred	Direct 1	material	Conversion
Description/items	in costs	M	N 70%	cost
Units completed and transferred to finished goods:	9000	9000	9000	9000
Abnormal spoiled units	100	100		50
Ending units in process	2000	2000		1000
Total Equivalent units	11100	11100	9000	10050

Cost of production report							
description	Equivalent production	Total	Unit cost				
Costs of production elements: Costs from preceding department: Beg. WIP Transferred in during the period -costs added by the department	11100	6000 <u>27300</u>	33300	3.0			
Material M: Beg. WIP Added during the period Material N:	11100	4000 <u>18200</u>	22200	2.0			
Beg. WIP Added during the period Conversion cost:	9000	0 <u>18000</u>	18000	2.0			
Beg. WIP Added during the period	10050	3000 <u>27150</u>	30150	3.0			
Total costs to account for			103650	10			
costs of production outputs: 1-Transferred to finished goods inventory.	9000		90000	10			

2-Abnormal spoiled units Transferred in cost -Material M -conversion cost  3-Ending work in	100 100 50	300 200 <u>150</u>	650	3.0 2.0 3.0
process: -Transferred in cost -Material M -conversion cost  Total costs accounted for	2000 2000 1000	6000 4000 3000	13000	3.0 2.0 3.0

2-there is a salvage value for the spoiled/defective units by reprocessing them in previous stages.

-If it is decided to rework the defective units in stages prior to the stage in which it was discovered, then:

A-The salvage value of this defective units is equivalent to what they contain from the materials (doubled at the beginning of the stage) if the rework was at the beginning of the first stage, or what they contain from the materials of the second stage (to be added at the beginning of the stage) in addition to the cost received from the first stage, if the reworking operation at the beginning of the second stage.

In general, the salvage value of the defective units is equivalent to their cost components at the completion level at which it was decided to rework.

B-The loss of the defective units is equal to the difference between their salvage value and their cost at the inspection level at which they were discovered.

C-

1-normal defective units are taken into account when preparing the equivalent production report (at the completion level, which is the completion level of at which the inspection is carried out) if the completion level of ending units in process or part of it is lower than the level of inspection, Then the total unit cost is calculated, calculate the cost of the normal defective units, the salvage value is subtracted from this cost, then the loss of the normal defective units is distributed on the various types of

production outputs that have reached or exceeded the same completion level at which the inspection is conducted.

# Example 15:

The third department received 850 units at a cost of \$ 1.3 per unit, according to the following details:

- 1- The average unit cost in the first department is \$ 1 (\$ 0.7 materials, \$ 0.2 labors, \$ 0.1 factory overhead)
- 2- The average unit cost in the second department is 0.3(\$ 0.2 labors, \$ 0.1 factory overhead)

700 units were produced and transferred to finished goods inventory, and 100 units remain in process at a completion level of 40%. The rest represents normal defective units and it reworked in earlier departments, as follows:

-20 reworked as raw material in the first department (60% completion level)

-30 units reworked in the second department (60% completion level)

Third department costs:

Materials added at 80% completion level \$ 70

Labor \$ 154

Factory overhead \$ 77


Required: prepare the cost of production report?

production quantities schedule	
Inputs:	
1-Units received from the preceding department	850
total	850
Outputs:	
1-Units transferred to finished goods inventory	700
2-Ending units in process	100
3- normal defective units(60%) reworked at the first department	20
4-normal defective units (60%)reworked at the second department	30
total	850

# Equivalent production schedule

Description/items	Transferred in costs	Direct material	Direct labor	Factory overhead
-Units completed and transferred to finished goods:	7000	7000	7000	7000
-Ending units in process - normal defective units(60%) reworked at the first department - normal defective units (60%) reworked at the	100 20		40 12	40 12
second department	30		18	18
Total Equivalent units	850	700	770	770

description	Equivalent production	Total costs		
		Sub total	total	Unit cost
First: cost of production				
elements				
-Transferred in cost	850		1105	1.300
-costs added by the				
department				
Direct material	700	70		0.100
Direct labor	770	154		0.200
Factory overhead	770	<u>77</u>		0.100
			301	
Total costs to account for			1406	1.700
Second: costs of				
production outputs				
-Transferred to the				
finished goods inventory.	700		1190	1.700
+loss of normal defective				



# **Explanatory points:**

The loss of defective units has been charged to completed units only, because units in process have not yet reached the level at which the defect happen.

The loss of defective units was calculated as follows:

First: units transferred to the first department:

--The cost of normal defective units transferred to the first dep. = the transferred in cost from the second department + cost of the third department

=20units x 1.300+12units x 0.300 (labor+factory overhead)

--The salvage value of the defective units transferred to the first department

= The value of materials only = 20 Unit x 0.7=\$ 14

-- the loss of defective units transferred to first department

=29600-14=\$ 15600

Second: units transferred to the second department

--The cost of normal defective units transferred to the second dep. = the transferred in cost from the second department + cost of the third department

--The salvage value of the defective units transferred to the first department

- = The value of materials only = 30 Unit x 1=\$30
- -- the loss of defective units transferred to first department

Loss of defective units that have been reworked in the first and second department = 15600 + 14400 = \$30 and it is charged to the finished units only because the units in process have not reach the level of inspection yet

C-2- normal defective units shall not be taken into account when preparing the equivalent production report, if the completion level of units in process at the end of the period have reached or exceeded the completion level at which the inspection is carried out, or the inspection is taking place gradually (continuously) during the process, provided that the salvage value of the normal defective units is deducted from the cost received from the previous stage in the first part of the current stage cost of production report, and accordingly the resulting average cost is inflated by the normal defective loss only.

# Example 16:

Production takes place in one of the factories in three successive stages, and the following is the flow of production and costs in the second stage during the month of October 2021

First, production flow:

- -4000 beginning units in process with 75% completion level
- -20000 units received from the first stage, \$ 5 per unit from which \$ 1 represent conversion costs
- -1500 abnormal defective units received from the third stage to be reworked in the middle of the stage
- -2000 normal defective units, half of it was sold at 3.2 per unit and the rest was sent for rework at the beginning of the first stage

-600 units in process at the end of the period with 80% completion level

## Second: production costs

- -The cost of units at the beginning of the period \$ 37000
- -salvage cost of units received from the third stage \$ 11000
- -Material cost during the period \$ 78000
- -labor cost during the period \$ 49600
- -Factory overhead cost during the period \$ 28000

## If you know that:

- Materials are added at 70% completion level, and adding them results in an increase in the number of units by one third.
- Inspection is done at 50% completion level.

Required: prepare the cost of production report and the department work in process inventory account for October 2021?


production quantities schedule	
Inputs:	
1-Beg. Work in process units	4000
2- Units received from the third department	1500
3- new Units received from the first department	20000
4-units add to production	6500
(Increasing in the number of units by adding the materials)	
total	32000
Outputs:	
1-Units transferred to third department	24000
2-Ending units in process	6000
4-normal spoiled units	2000
total	32000

Description/items	Transferred in costs	direct materials	direct labor	Factory overhead
Units completed and transferred to third dep.: -From the units of				
beg. WIP -From spoiled units			1000	1000
reworked - from new units	18000	2000 18000	1000 18000	1000 18000
Ending units in	6000	6000	4800	4800

process				
Total Equivalent				
units	24000	26000	24800	24800

# Cost of production report

description	Equivalent production	Total	costs	Unit cost
description	<b>P</b>	Sub total	Total	COST
Costs of production elements:  1-Costs of beginning work in process 2-salvage cost 3-costs added during the period: Transferred in cost (-)salvage cost Materials Direct labor Factory overhead	24000 26000 24800 24800	100000 (4000) 28000 (3200)	37000 11000 96000 78000 49600 24800	4.0 3.0 2.0
Total costs to account for	24600	<u>(3200)</u>	296400	10.0
costs of production outputs: 1-Transferred to finished third dep. From beginning inventory -inventory cost -direct labor -factory overhead From the current production	1000 1000 18000	2000 1000	37000 3000 180000	2.0 1.0
From reworked spoiled units salvage cost Direct Material Direct labor Factory overhead	2000 1000 1000	11000 6000 2000 1000	20000	3.0 2.0 1.0



3- There is a salvage value for the spoiled units by reworked them at the same stage

Technicians may see that the defective units can be reworked at the same stage in which it was discovered, provided that it is considered as a raw material for this stage. In this case, the resulting loss will be confined to the conversion elements of this stage (labor and factory overhead) In this case, the resulting loss will be confined to the conversion elements of this stage (labor and factory overhead), in addition to the cost of materials added after the reworked point in the stage (if any).

A-If the units in process at the end of the period (all or part) is at a completion level less than the level at which the

inspection is conducted, in this case the permissible defective units are taken into account when preparing the equivalent production report (at the completion level, which is the level of completion at which the inspection takes place) Also, the abnormal defective units, if any, are included in the calculation of the equivalent production on the basis of the same completion level. Then the total unit cost is calculated, the normal defective unit cost is calculated after that, the salvage value is deducted from it, then the normal defective unit loss is distributed among

# -completed units

- -The abnormal defective units (if any) because they have reached the completion level at which the inspection is performed
- -Part or all of the units in process that have reached the completion level at which the inspection is carried out.

B-But if the level of the units in process at the end of the period is the level reached or exceeded by the defective production (the inspection level), or the inspection is constantly being conducted during operation, then all types of production in the stage charged with the normal defective loss (the share of the defective units from the department costs after deducting its selling the value) This is done by neglecting the normal defective units in the equivalent production report, while treating the salvage value of the normal defective units as a reduction from the production cost in the stage (reducing each element of the costs with its share of the salvage value of the defective), which means at the same time charging the stage production with the loss of the normal defective units in an implicit manner.

#### Example 17:

The following data is extracted from one of the industrial companies for the third production department for the month of April:

- 1- Units in process at the beginning of the month 10,000 with a 60% completion level
- 2- Units received from the second department 40,000 units, unit cost \$ 2
- 3- Completed units 35,000 units, of which 30,000 units were transferred to finished goods inventory, and the rest is still in the department
- 4- 12000 units in process at the end of the month at 50% completion level
- 5-The remaining units in the stage are considered defective units and will be reworked at the same department, knowing that the inspection level is 80%.

6-production costs

A-beginning units in process costs

Transferred in cost \$ 15000

Labor \$ 6000

Factory overhead \$ 10100

B- Costs added during the period

Materials add at 75% \$ 38000

Labor \$ 37400

Factory overhead \$ 33300

Required: prepare the cost of production report using weighted average method?

# production quantities schedule for the department


Inputs:	
Beginning units in process	10000
Units received from preceding department	40000
total	50000
Outputs:	
Units transferred to finished goods inventory	30000
Units completed and still on the dep.	5000
Ending units in process (50%)	12000
Normal defective units (80%)	3000
total	50000

Equivalent production schedule

	Transferred	Direct	Direct	Factory
Description/items	in costs	materials	labor	overhead
		75%		
-Units completed				
and transferred to	30000	30000	30000	30000
finished goods				
- Units completed				
and still on the dep.	5000	5000	5000	5000
-Ending units in				
process (50%)	12000		6000	6000
- Normal defective				
units (80%)	3000	3000	2400	2400
Total Equivalent	50000	38000	43400	43400
units				

#### Cost of production report

description	Equivalent production	Total	costs	Unit cost
Costs of production elements:				
Transferred in costs:  Beg. WIP  Transferred in during the period  -costs added by the department	50000	15000 <u>80000</u>	95000	1.9
Direct material:  Added during the period  Direct labor:	38000		38000	1.0
Beg. WIP Added during the period Factory overhead:	43400	6000 <u>37400</u>	43400	1.0
Beg. WIP Added during the period	43400	10100 <u>33300</u>	43400	1.0
Total costs to account for			219800	4.9
costs of production outputs: Units completed and transferred to finished goods + its share of normal defective units loss	30000	147000 <u>6686</u>	153686	4.9
<ul> <li>Units completed and still on the dep.</li> <li>+ its share of normal defective units loss</li> </ul>	5000	24500 1114	25614	4.9



Explanatory points: It is known that reworking the defective units in the same stage calls for recovering the received cost and the material component as long as the materials are added at the beginning of the stage and the materials here were added at the level of 75%, so it is not considered from the salvage value for the following two reasons

1-The material added at a certain level is a complementary material, not a basic component of the product structure, such as color in the automobile industry, and plating materials in the copper industry.

2- Reworking at the same stage means starting work on the defective units again from zero, and this means that when the operation progresses and reaches 75%, these units will need complementary materials again.

Therefore, the loss of normal defective units is:

Materials at 75% level=3000 x 1 = 3000

Labor and factory overhead=2400 x 2 =4800

7800

It is distributed over the two types of complete units transferred to finished goods inventory and the units completed and still in the department (30000:5000), i.e. in a ratio of 6:1 the share of the completed units transferred to the finished goods inventory will be

The share of the completed units and the still in the department

#### Example 18:

The second stage received 1000 units with a total cost of \$ 1,000 during the month of January

Production data: 850 units converted to the third stage, 100 units in process with 60% completion level, 50 defective units within the permissible limits and discovered at a level of 60%, to be reworked at the same stage

Costs data:

Labor \$ 1820

Factory overhead \$910

Required: prepare the cost of production report and work in process inventory account?

production quantities schedule for the department

Inputs:	
Units received from preceding department	1000
total	1000
Outputs:	
Units transferred to finished goods inventory	850
Ending units in process (60%)	100
Normal defective units (60%)	50
total	1000

Equivalent production schedule

	Transferred	Direct	Factory
Description/items	in costs	labor	overhead
-Units completed			
and transferred to	850	850	850
finished goods			
-Ending units in	100	60	60
process (60%)			
- Normal defective	50		
units (60%)			
Total Equivalent	1000	910	910
units			

#### Cost of production report

description	Equivalent production	Total	costs	Unit cost
				Cost
-Costs from preceding				
department transferred in	1000	1000		1.0
- costs added by the				
department				
Direct labor	910	1820		2.0
Factory overhead	910	<u>910</u>	3730	1.0
Total costs to account for			3730	4.0
costs of production				
outputs:				
-Transferred to finished	850		3400	4.00
goods inventory				
-Ending work in process				
Costs from preceding	100	100		1.0
department	60	120		2.0
Labor	60	<u>60</u>		1.0
Factory overhead			280	
-salvage value for normal	50		50	1.000
defective units				
Total costs accounted for			3730	

*** * *			
Work in proc	ess inventor	ry account a/c	
To costs from preceding department (transferred in costs)	1000	By finished good inventory	3400
To payroll payable	1820	By ending work in process	280
To applied factory overhead	910	By salvage value for normal defective units	50
	3730		3730

## **Exercises:**

First: below are the data pertaining to department B:
---

Units transferred in	55000
Omis nansicirca m	22000

Units added to production	5000
---------------------------	------

TT. '4. 4 C 1 4	40000
Units transferred out	48000

# Ending units in process (direct material

100%, conversion costs 70%)	12000
	1/3/1/1

Costs transferred in $\psi 2 + 750$	Costs transferred in	\$ 24750
-------------------------------------	----------------------	----------

# Costs added by the department

Direct materials	7200
Direct labor	21432

Required: determine the following unit cost

a- Transferred in unit cost

d-Factory overhead

b- Direct materials

e- Total unit cost

c- Direct labor

Second: a factory has two processing department, all direct materials are added in the department 1 at the beginning of the process. Conversion costs are incurred evenly throughout both processes. Data for January are shown below:

Department Department 2

1

Unit started in process 75000

Units transferred to the next

department 60000

Units transferred to the

finished goods inventory 55000

Ending units in process 15000 (60%) 50000(80%)

Costs added by the

department

Direct materials \$ 300000

Direct labor 172000 \$ 162250

Factory overhead 86250 81125

No beginning work in process inventory exists.

Required: prepare a cost of production report for both departments.

Third: the company uses the weighted average costing method in its three processing departments. Direct materials are added in department 1 and 2. Direct materials in department 2 consist of erasers which are placed immediately on each unit as it is transferred in

Below is a portion of October's cost of production report for department 2:

Ending units in process			
Transferred in cost	8900	2047	0.23
Direct materials 100%	8900	267	0.03
Direct labor 60%	5340	1495.2	0.28

Factory	overhead 60	%	5340	5.	34	0.1	
				<u> </u>	343.2		
During	November	the	following	activity	occu	rred	in
depar	tment 2:						
Units tra	ansferred in			30	100		
Costs tra	ansferred in			\$ 8	483		
Costs in	curred:						
Direct n	naterial			\$ 1	683		
Direct la	abor			\$ 7	994.8		
Factory	overhead			\$ 2	.021		
Units tra	ansferred out			\$ 2	9000		
Ending	work in proc	ess in	ventory	759	%		

Required: calculate the following unit cost for the month of November:

a- Transferred in unit cost d-Factory overhead

b- Direct materials e- Total unit cost

c- Direct labor

Fourth: a factory produces a chemical compound by a unique chemical process which poole has divided into two departments, A and B, for accounting purposes. The process functions are as follows:

The formula for the chemical compound requires 1 pound of chemical X and 1 pound of chemical Y. in the simplest sense, 1 pound of chemical X is processed in department A and transferred for further processing to department B, where 1 pound of chemical Y is added when the process is complete. The finished chemical compound is then

transferred to finished goods inventory. The process is continuous, operating 24 hours a day. Normal spoilage occurs in the department A, five percent of the chemical X is spoiled in the first few seconds of processing.

The company's policy is to treat the cost of spoiled units in production as a separate element of cost in the department in which the spoilage occurs. No spoilage occurs in the department B.

In department A, conversion costs incurred uniformly throughout the process. In department B, conversion costs are allocated equally to each equivalent pound of output.

Poole's unit of measure for work in process and finished goods inventories is pounds.

The following data are available for the month of October.

	Department	Department
	A	В
Work in process, october1	800001b	100001b
Completion level of beg.		
Inventory(one batch per department)	3/4	3/10
Started or transferred in	500001b	?
Transferred out	46500lb	?
Work in process, october31	?	?
completion level of ending  Inventory	1/3	1/5
Total equivalent pounds of		
direct material added in		44500lb

#### department B

# Required:

1-complete the above schedule.

2-prepare equivalent production schedules for department A and department B for October under fifo.

Fifth-you applied for a job as a cost accountant in one of the companies in which production takes place in three stages.

And you asked to determine the equivalent production during the month of March 2021 in all of these three stages, noting that:

# In the first stage:

1- Produced: 9000 complete units transferred to finished goods inventory (of which 2000 units are in operation at the beginning of the period, with 50% completion level)
2000 units in process at the end of the period with a level

of completion 50%- 200 defective units which decided to be reworked at the beginning of the stage (half of them are normal).

- 2- Material C is added at the beginning of the operation in the stage, and material Y is added at the completion level 70%.
- 3- inspection is done throughout the operation.

In the second stage:

1- Produced: 6000 complete units transferred to finished goods inventory (of which 1000 units are in operation at the beginning of the period) -2000 units in process at the end of the period with a level of completion 50% - 200 normal defective units, it is decided to rework them in the first stage on the basis that they represent semi-

- manufactured units for the first stage- 100 normal spoiled units, it was decided to sell them at \$ 100 per unit.
- 2- The materials are added at the beginning of the stage, which results in an increase in the number of units produced at a rate of 10%.
- 3- The inspection is done at the 60% completion level.

#### In the third stage:

- 1- Produced: 5000 complete units transferred to finished goods inventory -1000 units in process at the end of the period with a level of completion 60%, not yet reached the level of completion at which the materials are added- 200 spoiled units, at 40% completion level, it was decided to sell them at \$ 0.200 per unit.
- 2- Half of spoiled units are considered within the permissible limits.

3- The sales value of the normal spoilage is treated as secondary revenue.

Sixth-Production is carried out in an industrial company in two phases, and the following is the data on the production flow and costs for the second phase during the month of April:

1- Work in process beginning: 4000 units, total cost is \$ 53,654, and the level of completion is as follows:

Transferred in cost 100%

Materials 80%

Conversion costs 40%

2- The second stage received from the first stage 38,000 units at a cost of \$ 962,000.

3- The production costs incurred on the second stage during April amounted to:

Materials \$ 73,710

Conversion \$ 140,600

4-6000 units in process at the end of the period, and their level of completion is as follows

Transferred in cost 100%

Materials 100%

Conversion 60%

5 - 1000 was spoiled at the beginning of stage and was considered within the permissible limits, and the inspectors rejected another 2000 units when checking the completed units.

Required:

Prepare the cost of production report and the work in process account?

Seventh: The following data extracted from the books of an industrial company in the third and final department for the month of March:

Received units 40,000

Completed units 27000

Work in process units ending 10,000

Spoiled units 3000

Department costs:

Materials (added at 75%) \$ 3600

Labor \$ 17500

Factory overhead \$ 10500

If you know:

A- The inspection level is the end of the stage, and the spoiled units have no recoverable value.

B-The addition of materials does not result in an increase in the number of units produced.

C- Transferred in cost one dollar per unit.

D-The normal spoiled rate is 5% of units.

Required

Prepare the cost of production report and the work in process account?

Eighth: the following is the data for the second production department of an industrial company until October:

- 1- Beginning work in process 8000 units with a completion level of 75%
- 2-Units received during the period 40,000 units, Unit cost \$ 2.
- 3-Completed units 35000
- 4- Ending work in process 12000 units with 50% completion level .
- 5-The remaining units are considered to be normal spoiled discovered at a level of 40% and have no selling or recoverable value.
- 6- Production costs
- -Beginning work in process \$ 23500

Transferred in cost 16000

Material 4000

Labor	2000
-------	------

Factory overhead 1500

-Costs added during the period

Materials added at 70% \$ 32400

Labor \$ 35000

Factory overhead \$ 45500

Required: prepare the cost of production report using first in first out method?

Ninth- The following data is related to the second production stage of an industrial company for a cost period ending 13/3:

- 1- Work in process beginning: 8000 units, 75% completion level.
- 2- The transferred in units 38,000 units at unit cost of \$ 2.

- 3-completed units transferred to finished goods inventory 35000 unit.
- 4- Ending units in process 12000 unit, 50% completion level.
- 5- The remaining units are considered as normal defective units and will be reworked at the same stage, and it was discovered at the 50% completion level.
- 6- The production costs:
- A- Beginning work in process cost is \$ 39,700, detailed as follows

Transferred in cost \$ 16000

Materials \$ 7500

Labor \$ 6000

Factory overhead \$ 10200

B-period cost

Materials added at 70% \$ 10000

Labor \$ 35000

Factory overhead \$ 39000

Required:

Prepare the cost of production report using weighted average method?

Tenth: The following data extracted from the books of an industrial company in the third and final department for the month of March:

Received units 20,000

Completed units 27000

Ending work in process 60% complete

Department costs:

Materials (added at 50%) \$ 3600

Labor \$ 17500

Factory overhead \$ 10500

If you know:

A- The inspection level is the end of the stage, and the spoiled units have no recoverable value.

B-The addition of materials result in an increase in the number of units produced by half.

C- Transferred in cost one dollar per unit.

Required

Prepare the cost of production report and the work in process account?

Eleventh: a factory produce product "S" in three stages, and here is some information about the third stage for the period from 1/1 to 31/3:

1- The stage uses two types of direct materials:

Material A: added at the level of completion of 10% and its addition does not entail any increase in the number of units produced.

Material B: added at the level of completion of 70%, and leads to an increase in the number of units produced by 25%.

2- Production inspection is carried out continuously during processing.

3- The spoiled units will be sold as irregulars, at a value equal to the costs included at the beginning of the stage.

#### 4- Produced:

9000 completed units transferred to finished goods inventory (of which 2000 units are in process at the beginning of the period with a 50% completion level). 2000 ending units in process, with a level of completion of 40%

100 spoiled units as a result of the negligence of workers in the production

100 spoiled units as a result of the nature of production operations

- 5- The total costs of the beginning units in process \$ 13,000.
- 6 The unit production costs during the period were as follows:

Cost received from the second stage (equity between the first and second stages) \$3

Material A \$ 2

Material B \$ 2

Conversion cost \$ 3

Required: prepare the cost of production report?

Twelfth: The third phase received 850 units at a cost of 13EGP per unit, according to the following details:

- 1- The average unit cost in the first department is 10 EGP(4.7 EGP materials, 3.3 EGP labors, 2 EGP factory overhead)
- 2- The average unit cost in the second department is 3(2EGP labors, 1 EGP factory overhead)

700 units were produced and transferred to finished goods inventory, and 100 units remain in process at a completion level of 40%.20 normal defective units discovered gradually through processing and it was decided to reprocessed as raw material in the first department 30 abnormal defective units discovered gradually through processing and it was decided to reprocessed in the second department.

current costs:

Materials added at 80% completion level \$ 700

Labor \$ 1510

Factory overhead \$ 755

Required: prepare the cost of production report?

# Chapter (3) Multiple products costing

The nature of multiple products

When production is limited to one product, the cost accountant does not face great difficulty in charging the units produced with production costs, but if the economic unit performs one production process or several overlapping production processes - that producing more than one product, the production costs are considered joint costs and the cost accountant confronts the problem of distributing these joint costs to multiple products.

# There are two types of multiple products

# - Joint products

joint products can be defined as those that are produced together by one production process or a series of production processes as a result of unified industrial efforts and there is a clear quantitative relationship between them, meaning that the increase in the quantity of units produced from one of them results in an increase in the production quantity of other

products, but it is not necessary that the increase to be by the same amount.

# - By products

By-products are those products that are relatively insignificant, and which appear as a by-product during the production of the main products. The emergence of by-products does not result in the creation of independent costs for them until the split off point from the main product.

It is noted that the distinction between joint and by products is not always clear-cut. What is considered by product for some factories may be considered a main product for another factory, and what was considered by product at one time may be considered a major product at another time.

An example of this is natural gas, as the oil production companies considered it a by-product and reduced the costs

of producing crude oil (which is the main product) with the revenues obtained from selling natural gas. However, after the Second World War, natural gas began to take its place and confirm its economic importance. Thus, companies began to view it as a major product and treat it in their accounts on this basis. The criterion for distinguishing between joint and by products is the relative importance of the products.

# Methods of accounting for the joint products costs:

It is noted that there are two types of costs in relation to joint and incidental products:

A- The costs that occur before the spilt off point and these are the joint costs that cannot be allocated directly to a single product, so it must be redistributed among the different products to determine the share of each product.

B- The costs that occur after the point of separation, and these costs are specific to a particular product and do not require redistribution because they are spent on a product to complete its manufacture and production in its final form, and thus can be allocated directly to that product.

In order to distribute the joint costs that occur before the split off point, there are several distribution methods, including the following:

- 1-The average unit cost method.
- 2- The weighted average method with estimated weights.
- 3- The weighted average method with a common natural coefficient.
- 4- The weighted average method with selling price.

It is noted that all of these methods in which the estimation plays a major role, and it is not possible to arrive at what can be called the joint products actual cost, but it can be said that the last method is considered the closest to logic based on the relationship of cost and the selling price, or between what the product achieves from revenues and the efforts made to achieve these revenues.

Below is a brief explanation of how to apply each of the above methods

# 1-The average unit cost method.

In industries where production units are subject to a homogeneous measurement tool such as pounds, gallons, or tons, meaning that the units of production for each of the main products can be expressed with the same measurement unit, the distribution of the total joint cost to the different products is done on the basis of a calculating the production unit cost (by dividing the total joint costs by the number of units produced after converting all of them into

homogeneous units of measurement) and by multiplying the number of units produced from each type of the products by the average unit cost, we will get the share of each product from the total joint costs.

# Example 1:

A factory produces four products A, B, C, and D in a joint industrial process, the production costs amounted to \$ 240,000, and the number of units produced of each type was as follows:

Product A	40000 units
Product B	30000 units
Product C	20000 units
Product D	30000 units

Product D 30000 units

Required: calculate the cost of the four products?

Product	No. of	Allocation	Allocated	Unit cost
	units	percentage	costs	

	produced			
Product A	40000	4	80000	2
Product B	30000	3	60000	2
Product C	20000	2	40000	2
Product D	30000	3	60000	2
	1200000	12	2400000	

This method is used in the following cases: When multiple products are made of the same material and when the production quantity can be measured in a homogeneous measurement unit, as in the petroleum refining industry. Where a barrel or gallon can be used as a standard measuring tool, or in the wood industry, where different products of wood can be measured in meters.

# The disadvantages of this method include:

- Not taking into account the difference in the superiority or quality of the joint products.
- Its fail to take into account the different industrial efforts that are being made to complete each of them.

#### 2-Weighted average method with estimated weights:

This method attempts to avoid the defects of the previous method, as it takes into account the difference in the superiority or quality of the (main) joint products. It gives the numerical units produced a certain "weight" that is proportional, for example, with the amount of raw materials involved in production, or with the difficulty of production, or with the time it takes to produce each type. or with the type of direct labor used, and so on. That is, it tries to take into account the difference that may exist between the industrial efforts that are being used to complete each type of different products, and assigns each type of the products a weighted number.

## Example 2:

If we assume in the previous example that we assign each of the four products the following weighted numbers:

Product A	5 points
Product B	3 points
Product C	4 points
Product D	1 point

Required: Allocate the joint costs on the four products?

Product	No. of	Weighted	Units	Allocation		Unit
	units	number	produced	percentage	Allocated	cost
	produced		after		costs	
			weighting			
Product A	40000	5	200000	20	120000	3.0
Product B	30000	3	90000	9	54000	1.8
Product C	20000	4	80000	8	48000	2.4
Product D	30000	1	30000	3	18000	0.6
	1200000		400000	40	240000	

The disadvantages of this method are that the inaccuracy in choosing the weighted numbers leads to misleading results regarding the cost of each type of production, which leads to the inaccuracy of the decisions based on these results.

# 3-The weighted average method with a common natural coefficient:

This method attempts to allocate the total cost of production to the joint products on the basis of a certain natural coefficient shared by all these products, i.e. weighting is done in natural units instead of points. An example of this is the distribution of production costs in petroleum companies to the joint production of crude oil and natural gas on the basis of what has been called British thermal units, as long as natural gas and crude oil are both mixtures of hydrocarbons., it is possible to find a common measurement unit, which is the thermal unit. One barrel of crude oil contains from five to six million thermal units, while a thousand cubic feet of natural gas contains about one million units.

# Example 3:

An oil company produced during a certain period of time 20,000 barrels of crude oil and ten million cubic feet of natural gas, and the total cost of production was \$ 6,600

Required: distribute the costs between the two products on the basis of the thermal unit, assuming that one barrel of crude oil contains 5millions of cubic feet and one thousand cubic feet of natural gas contains one million?

Product	No. of	Natural	Units	Allocation		Unit
	units	coefficient	produced after	percentag	Allocated	cost
	produced		weighting	е	costs	
Crude	20000barr	5millions	100000million	10	60000	3.0
oil	el					
Natural gas	10000CF	Million for each 1000 CF	10000 million	1	6000	6.0
					6000	
				11	66000	

4-The weighted average method with selling price.

Many accountants tend to the opinion that joint costs should be distributed to the main products on the basis of the ability of each product to cover these costs from the expected sales revenue, that is, the distribution of costs is done on the basis of the market price of each product multiplied by the number of units produced. The greater the sales value the more this product receives a share of the joint costs.

# Example 4:

If we assume that the total joint costs of three products, A, B, and C, amounted to \$ 900,000, the units produced and the selling price of each product were as follows:

item	m Number of	
	units produced	
Product A	100000	\$ 3000
Product B	200000	\$ 6000
Product C	300000	\$ 5000

Required: Assign the joint costs to the three products?

product	No. of units	Unit selling price	Total selling value	sales revenue ratio for each product to total sales	Distribution of costs by the sales revenue ratio	unit cost
A	100000	3	300000	10%	90000	0.9
В	200000	6	1200000	40%	360000	1.80
C	300000	5	1500000	50%	450000	1.5
			3000000	100%	900000	

It is noted that this method does not take into account any special costs required by the production nature after the 233

separation point. If it is not possible to determine the sales value of the product at the separation point, because each type of joint product requires additional industrial processes to become ready for sale. The use of the final sales value as a basis for distribution is not considered a fair basis, and therefore the sale value is used minus the added costs after the separation point, As a basis for allocating joint costs.

## Example 5:

If we assumed in the previous example that the costs required to complete the unit production of each of the three products are:

product	Added cost	after
	separation point	
A	\$ 0.50	
В	\$ 2.50	
C	\$ 1.50	

Required: Assign the joint costs to the three products?

product	Selli- ng price	Cost added after the separate- on point	The value at the separation point	NO. of units produ- ced	The total value	the ratio of each product to the total value	Cost Allocati- on	Unit cost at the point of contact
A B C	3 6 5	0.500 2.500 1.500	2.500 3.500 3.500	100000 200000 300000	250000 700000 1050000 2000000	12.5% 35% 52.5% 100%	112500 315000 472500 900000	1.125 1.575 1.575

It is noted on this method that the profits are attributed to the joint costs only, meaning that the private costs do not achieve any profits. We see that not only the private cost, but the private cost, in addition to the related profit percentage, should be deducted from the selling value, assuming the same profit percentage is achieved with regard to both joint costs and private costs.

The disadvantages of this method are weighting, whether at the total selling price or at the net selling price, that the fluctuations occur in the products selling prices are followed by a change in determining each product's share of the joint cost, although this cost may remain unchanged from one period to another.

#### Methods of accounting for the by-products costs:

We knew that by products are those products of little importance that appear during the production of the main product and do not have a specific cost after the separation. It is noted that with the great scientific progress, industrial companies began to pay great attention to by-products, all these products, which may have little economic value until the separation point, may become of great importance after other costs are spent on them, which transform them into commodities of high economic value.

The term by products includes several types of products, including those products that are almost worthless, such as

sawdust that scattered during operation, and the value of these products is represented in what can be obtained from their sale, and those other products such as cotton seeds. Therefore, the accounting treatment of by products varies according to their economic value.

The following is an explanation of the methods used in dealing with by-products in the accounting books:

1- Treating by products revenue as additional revenue Revenues realized as a result of selling by products under this method are treated as additional revenues that are closed at the end of the accounting period in the profit and loss account, and appear in the income statement under the item "Miscellaneous Revenue".

Incidental product sales may be recorded in one account or in several accounts, depending on the type and importance of the sold products. The entry is:

By bank/debtors

To by-products sales revenue

Then the by Products Sales Revenue Account is closed in the Profit and Loss Account, and the entry is:

By byproducts sales revenue

To profit and loss


It is clear that this method is not considered a "cost method", as all production costs are charged to the main product, and no entries are recorded in the accounting books related to the by product except when it is sold and revenues are realized. The incidental products are given any value until the sale is actually done. Thus, the value of the incidental products is not included in the inventories at the end of the accounting period, which contradicts the sound accounting principles. Therefore, this method is not used unless the by-products are

Therefore, this method is not used unless the by-products are of little value and relatively insignificant, so that it becomes impractical for the firm to try to apply another, more fair method, with the consequent increase in the expenses of performing the accounting work.

# 2-Reducing main product costs with byproducts revenue this method has two points of view:

A-The first point of view: It considers that the actual revenues generated from the sale of incidental products should be treated as a reduction in the production costs of the main product or products, rather than closing them in the profit and loss account.

The entries are as follows:



The disadvantage of this view is that it is necessary to wait until the incidental products are sold in order to

determine the production cost of the main products. Thus, this method becomes impractical; in addition to that it assumes that there are no costs incurred by the establishment in order to market the by product.

## **B-** The second point of view:

Those of the second view believe that the sales value of the incidental production is estimated in advance, and that the net selling value (the selling value minus the costs of marketing the incidental production) is used to reduce the costs of producing the main product. But if the incidental products require additional costs - after split of point - to prepare them for sale, then the costs of producing the main product are reduced by the net value after separation, and with this value, the same two previous entries are made.

3- Assigning a portion of production costs as a cost to the incidental product using the "normal rate of profit" method.

We noted that incidental products may need additional costs after the separation point to become salable products, and that the net selling value of these products (the selling value minus (the costs after the point of separation + marketing costs)) was used to reduce the costs of producing the main product.

However, if the by-products require a considerable industrial effort after the separation point, after which they are transformed into products of significant economic value, it is preferable to distribute the production costs between all the main products and the incidental products.

A separate work in process account shall be opened for incidental products, which debits what is allocated to these

products as a share of the production cost before the separation point. In order to determine the share of the incidental product in production costs, the method of the normal rate of profit is used. This method is based on the assumption that the normal rate of profit achieved by the establishment in general also applies to the profit generated by the incidental products.

# Example 6:

A company produces the main product (Q) during the production process; the incidental product (P) emerged, so if the data for April are as follows:

description	Product Q	Product P
Quantity in kilo	6000	500 at the separation
		point
Materials	40000	800 after the
		separation point

Labor	18000	150 after the
		separation point
Factory overhead	7500	100 after the
		separation point
Selling price per unit	15	3

## Additional information:

- 1- Adding materials to the product (P) after the spilt off point results in a doubling of the number of units produced.
- 2- Marketing costs are 10% of the selling price.
- 3- The normal profit rate is 5% of the selling price.

# Required:

- Determine the estimated cost of the incidental product (P) at the separation?
- Prepare the work in process inventory account for product (Q)?
- Prepare the work in process inventory account for product(P)?

The estimated costs of the by-product (P) = the selling value of the product (P) X1000

Estimated net profit =3000 x 5%=150

Marketing costs=3000 x 10%= 300

<u>(450)</u>

Estimated industrial cost \$2550

$\sim$	C.			•
( 'Octo	ottor	separa	tion	noint
C (0515)	ancı	SCUALO	шил	DOTHIL
		~ ~ ~ ~ ~ ~		P 0

Materials 800

Labor 250

Factory overhead 100 (1050)

Estimated costs at the separation point \$1500

It is clear from the foregoing that to reach the estimated cost of the product (p) at the separation point, it begins with the sales value and subtracts from it the normal profit rate and marketing costs, to arrive at the total estimated industrial costs, and subtracts the added costs after the separation point, we get the estimated costs of the accidental product at the separation point.

2-The work in process account for Q and P as follow:

Work in process product Q account			
To material inventory	40000	By finished goods	64000
		By work in process	1500
		product P	1500
To applied factory overhead	7500		
To payroll payable	18000		
	65500		65500
Work in process product P account			
To work in process product Q	1500	By finished goods	2550
To material inventory	800	inventory	
To applied factory overhead	150		
To payroll payable	100		
	2550		2550

# **Exercises**:

1-The following is the data for three joint products, A, B, and C, which are manufactured in one of the economic units, and the total costs of manufacturing operations were \$ 30,000, based on the cost records production data:

	Quantity in	Market value	total value
	units	Per unit	
A	10000	2260	26000
В	8000	1500	12000
С	12000	1000	12000
	30000		50000

# Required:

First, determine the cost of each product separately using the market value method?

Second: Assuming that the stock balance of the three products is 3000 units distributed over the three products equally, and that the market value of the first product has

decreased due to emergency conditions to \$ 1600 per unit. What is the effect of the decrease in the market value of product A on the stock value of products B and C? 2-The following data are extracted from the cost records of one of the economic units of the joint products x, y, w, where the number of units produced from each product, 10,000 units, 5,000 units, and 4,000 reached respectively. The market value of product X \$ 5, product Y \$ 4, and product W \$ 2, and the total costs up to the point of separation amounted to \$ 30,000, and the cost of additional operations for product X amounted to \$ 10,000, for product Y \$ 6000, and for product W \$ 2000. Required: Determine each product's share of common costs?

3- An economic unit produces the main product A, which resulted in by product Z, whose selling price is \$ 1,000, making a profit equivalent to 10% If you know that

marketing costs are equal to 5% and that the economic unit costs \$ 220 for some additional operations needed for the byproduct.

Required: determine the cost of the by-product before the point of separation?

4-The following is the data for joint products A, B, and C, produced by one of the economic units, whose total costs for the period from the first of January until the end of March amounted to \$ 270000.

product	Quantity produced	Unit selling price
	per product	
A	36000	\$ 5000
В	9000	\$ 3200
С	54000	\$ 1000

Required: Determine the unit cost of each product using: weighted average unit cost method?

Market value method?

With an indication of the effect of treating on the profit for each product?

5-The following are the data on the joint products X, Y, Y, produced by one of the economic units for the period from 1/6 to 30/9:

product	Quantity produced	Unit selling price
	per product	
X	54000	\$ 7500
Y	2000	\$ 2300
Z	72000	\$ 1500

If you know that the total costs of production are \$40,000.

Required:

First: Determine the unit cost of each product using:

weighted average unit cost method?

Market value method?

#### **References:**

- -Alnoor Bhimani, Charles T. Horngren, Srikant M. Datar and Madhav Rajan "Management and Cost Accounting", sixth edition, prentice-hall, USA, 2015.
- -Charles T. Horngren, Srikant M.Datar and Madhav Rajan" Cost Accounting a Managerial Emphasis" fourteen Edition, prentice-hall, USA, 2012.
- -Edward J. Blocher, David E. Stout, Paul E. Juras and Steven Smith"Cost Management: A Strategic Emphasis", eight edition,mcgraw-hill,USA,2019.
- -M. N. Arora, Priyanka Katyal "Cost Accounting: Principles & Practice",12<sup>th</sup>, vikas publishing house.
- -M. C. Shukla, T.S. Grewal&M. P. Gupta"Cost Accounting: Texts and Problem ", S. chand, New Delhi, 2010.
- -Ralph S. Polimeni, Frank J. Fabozzi, Arthur H. Delberg "Cost Accounting: Concepts and Applications for Managerial Decision Making", third edition, McGraw-hill, 1991.